







CREATING FACTS AND LEAVING WORDS TO OTHERS SO THAT EVERY OBJECTIVE ACHIEVED CAN BE THE BASIS OF A FUTURE GOAL. CONSTANTLY LOOKING FORWARD, CONTINUOUSLY INVESTING IN TECHNOLOGY AND SPECIALIZED TRAINING WE AIM AT KEEPING OUR CUSTOMERS ALWAYS AT THE CENTER OF OUR ATTENTION.

THANKS TO THE SERIOUSNESS THAT WE PUT INTO EVERY ARTICLE WE MAKE, OUR CLIENTS ARE IN RETURN REWARDED WITH QUALITY, SAFETY AND RELIABILITY DURING ANY PROCESS OF FAOR'S BUSINESS.

OUR PRODUCTION AND ORGANIZATION ENSURES A SECURE PURCHASE OF SEMI-FINISHED PRODUCTS. MADE IN FAOR. QUALITY (BRIGHTNESS, ALLOY COLORS), RELIABILITY (MECHANICAL AND PURITY), COMPETITIVE PRICING, ACCURACY IN DELIVERY, HAVE ALWAYS BEEN OUR STRENGTHS. WE ARE VERY CONFIDENT REGARDS THIS MISSION AND INVITE YOU TO COMPARE OUR PRODUCTS WITH THOSE OF ANY OF OUR COMPETITORS.

CREARE FATTI E LASCIARE LE PAROLE AGLI ALTRI, IN MODO CHE OGNI RISULTATO RAGGIUNTO SIA LA BASE DI UN OBIETTIVO FUTURO: SOLO COSÌ SI OTTIENE LA DETERMINAZIONE E L'INTRAPRENDENZA NECESSARIA PER POTER COMPETERE NEL NOSTRO SETTORE.

GUARDIAMO COSTANTEMENTE AVANTI INVESTENDO CONTINUAMENTE IN TECNOLOGIA E FORMAZIONE. AI CLIENTI, SEMPRE AL CENTRO DELLA NOSTRA ATTENZIONE, OFFRIAMO QUALITÀ, SICUREZZA E AFFIDABILITÀ, GRAZIE ALLA SERIETÀ CHE METTIAMO IN OGNI AZIONE.

PROPRIO PER QUESTO, LA NOSTRA PRODUZIONE SI RIVOLGE A TUTTI I CATENISTI IN GENERE AI QUALI GARANTIAMO UNA TRANQUILLITÀ GLOBALE SULL'ACQUISTO DEL SEMILAVORATO. QUALITÀ (LUCENTEZZA, COLORE DELLE LEGHE), AFFIDABILITÀ (MECCANICA E DELLA LEGA), PREZZI COMPETITIVI, PRECISIONE NELLE CONSEGNE, SONO DA SEMPRE I NOSTRI PUNTI DI FORZA: PER UN FACILE RISCONTRO VI INVITIAMO A CONFRONTARE I NOSTRI PRODOTTI CON QUELLI DELLA CONCORRENZA.

# INDEX 2022

## SPRING RINGS

---

- 7 Super Light Spring Rings  
Standard Spring Rings

## LOBSTER CLASPS

---

- 9 Lobster Clasps  
Pear Shape Lobster Clasps
- 10 Lobster Clasps With Ring  
Pear Shape Lobster Clasps With Ring
- 11 Flat End Caps  
Round End Caps

## BEADS & OVALS

---

- 13 Light Weight Beads
- 14 2 Hole Beads
- 16 Oval Beads
- 17 Hammered Beads
- 18 Doughnut Separators  
Hammered Doughnut Separators
- 19 Tyre Separators  
D/CUT Tyre Separators  
Hammered Tyre Separators
- 20 No Hole Beads  
No Hole Beads With Ring
- 21 1 Hole Seamless Beads

## DIAMOND CUT BEADS

---

- 23 D/CUT Oval Beads
- 24 D/CUT Round Beads

## GENERAL FINDINGS

---

- 27 Butterflies  
Posts
- 28 Lever Backs  
Hooks
- 29 Head Pins  
Split Rings  
D/CUT Wire
- 30 D/CUT Tube By Meter  
Short Tubes  
D/CUT Short Tubes

## SILICONE FINDINGS

---

- 33 Round Stoppers  
Round Stoppers With Ring
- 34 Doughnut Stoppers  
Doughnut Stoppers With Ring  
Twin Doughnut Stoppers

## BEAD CHAINS

---

- 37 Smooth Bead Chain  
Smooth Bead And Barrel Chain
- 38 8 Side D/CUT Bead Chain  
8 Side D/CUT Bead And Barrel Chain
- 39 Square Shape Bead Chain
- 40 Long Tube Bead Chain  
Short Tube Bead Chain
- 41 Large Size Rosary Chain  
D/CUT Large Size Rosary Chain

## ROSARY CHAINS

---

- 43 Rosary Chain 1+1  
Rosary Chain 10+1  
Rosary Chain 3+1
- 44 D/CUT Rosary Chain 1+1  
D/CUT Rosary Chain 10+1  
D/CUT Rosary Chain 3+1

## SATELLITE CHAINS

---

- 47 Satellite Bead Chain
- 48 D/CUT Satellite Bead Chain
- 49 D/CUT Alternated Satellite Bead Chain  
AL  
D/CUT Up & Down Satellite Bead Chain  
UD
- 50 D/CUT Satellite Twisted Squama Chain  
Spiral S  
D/CUT Satellite Twisted Squama Chain  
Flat F

## FANCY CHAINS

---

- 53 Flower Bead Chain  
D/CUT Flower Bead Chain
- 54 XX Flower Bead Chain  
D/CUT XX Flower Bead Chain
- 55 3 Lines D/CUT Bead Chain  
Smile D/CUT Bead Chain  
3 Face D/CUT Bead Chain
- 56 Fishbone D/CUT Bead Chain  
Double X D/CUT Bead Chain

## ELASTIC BEAD CHAINS

- 59** Elastic Bead Chain
  - 8 Side D/CUT Elastic Bead Chain
  - Square Shape D/CUT Elastic Bead Chain
- 60** 3 Line D/CUT Elastic Bead Chain
  - Smile D/CUT Elastic Bead Chain
  - XX D/CUT Elastic Bead Chain
- 61** 3 Face D/CUT Elastic Bead Chain
  - Fishbone D/CUT Elastic Bead Chain
- 62** Rosary Elastic Bead Chain
  - D/CUT Rosary Elastic Bead Chain
- 63** 2 Tones D/CUT Elastic Bead Chain
- 64** Finished Elastic Bead Chain
- 65** D/CUT Finished Elastic Bead Chain
- 66** D/CUT 3 Lines Finished Elastic Bead Chain

## KOREAN CHAIN

- 69** Korean Chain
  - Popcorn Chain
- 70** D/CUT Korean Chain
  - D/CUT Popcorn Chain
- 71** Flat Korean Chain
- 72** Flexible Popcorn Chain
  - Drilled Popcorn Chain
- 73** D/CUT Flexible Popcorn Chain
  - D/CUT Drilled Popcorn Chain

## HOLLOW CHAINS

- 75** Hollow Chain With Design
  - Compact Hollow Chain
- 76** Open Link Hollow Chain

## TULIP CHAINS

- 79** Tulip Chain
  - Flat Tulip Chain

## CUBE CHAINS

- 81** Cube Chain
  - D/CUT Cube Chain

## SNAKE CHAINS

- 83** Snake Chain
- 84** D/CUT Snake Chain
- 85** Rosary Snake Chain 1+1
  - D/CUT Rosary Snake Chain 1+1

## OVAL SNAKE CHAINS

- 87** Oval Snake Chain
  - D/CUT Oval Snake Chain

## SQUAMA CHAINS

- 89** D/CUT Square Squama Chain
  - D/CUT Round Squama Chain
  - D/CUT Twisted Squama Chain

## PENDANT CHAINS


- 91** D/CUT Box Chain
  - D/CUT Forzatina Chain
  - Fox Tail Chain
  - D/CUT Fox Tail Chain

## CRYSTAL CHAINS

- 93** Crystal Chain Monocolor
- 94** Crystal Chain Multicolor
- 95** Loose Crystal Elements

## FASHION XL CHAINS

- 98** Fashion Crystal Chain Without CZ
- 99** Fashion Crystal Chain With CZ



SPRING RINGS

SUPER LIGHT  
SPRING RINGS




| Cod    | AM040TL | AM045TL | AM050TL | AM055TL |
|--------|---------|---------|---------|---------|
| Size   | ø 4,0   | ø 4,5   | ø 5,0   | ø 5,5   |
| 9Kt    | 0,036   | 0,466   | 0,063   | 0,087   |
| 10 Kt  | 0,039   | 0,503   | 0,068   | 0,093   |
| 14 Kt  | 0,044   | 0,563   | 0,076   | 0,105   |
| 18 Kt  | 0,049   | 0,630   | 0,085   | 0,117   |
| 21 Kt  | 0,053   | 0,680   | 0,092   | 0,126   |
| 22 Kt  | 0,053   | 0,685   | 0,093   | 0,127   |
| AG 925 |         |         | 0,059   | 0,086   |

STANDARD  
SPRING RINGS



| Cod    | AM050 | AM055 | AM060 | AM070 | AM100  |
|--------|-------|-------|-------|-------|--------|
| Size   | ø 5,0 | ø 5,5 | ø 6,0 | ø 7,0 | ø 10,0 |
| 9 Kt   | 0,093 | 0,121 | 0,144 | 0,208 | 0,441  |
| 10 Kt  | 0,101 | 0,131 | 0,156 | 0,224 | 0,476  |
| 14 Kt  | 0,113 | 0,147 | 0,174 | 0,251 | 0,533  |
| 18 Kt  | 0,126 | 0,164 | 0,195 | 0,281 | 0,596  |
| 21 Kt  | 0,136 | 0,177 | 0,211 | 0,303 | 0,644  |
| 22 Kt  | 0,137 | 0,179 | 0,212 | 0,306 | 0,649  |
| AG 925 | 0,102 | 0,134 | 0,160 | 0,179 | 0,432  |

All Spring Rings can be supplied with: Flat Ring - MP and/or Soldered Ring - S.  
Weights shown in grams/piece are purely indicative and may vary.



LOBSTER  
CLASPS

LOBSTER CLASPS



| Cod    | CH0     | CH1      | CH2      | CH3      | CH4      | CH5      |
|--------|---------|----------|----------|----------|----------|----------|
| Size   | 8,0x3,3 | 10,0x3,8 | 11,5x4,3 | 13,7x5,3 | 16,3x6,3 | 16,3x8,0 |
| 9 Kt   | 0,240   | 0,396    | 0,523    | 0,852    | 1,436    | 2,165    |
| 10 Kt  | 0,259   | 0,428    | 0,564    | 0,920    | 1,550    | 2,337    |
| 14 Kt  | 0,291   | 0,480    | 0,633    | 1,032    | 1,737    | 2,620    |
| 18 Kt  | 0,325   | 0,536    | 0,707    | 1,153    | 1,923    | 2,928    |
| 21 Kt  | 0,351   | 0,579    | 0,764    | 1,245    | 2,097    | 3,162    |
| 22 Kt  | 0,354   | 0,583    | 0,770    | 1,255    | 2,114    | 3,187    |
| AG 925 | 0,202   | 0,334    | 0,440    | 0,718    | 1,317    | 1,824    |

PEAR SHAPE  
LOBSTER CLASPS



| Cod    | CHP0    | CHP1    | CHP2     | CHP3     |
|--------|---------|---------|----------|----------|
| Size   | 8,0x4,4 | 9,3x5,0 | 11,1x6,1 | 13,1x7,0 |
| 9Kt    | 0,238   | 0,330   | 0,563    | 0,855    |
| 10 Kt  | 0,257   | 0,357   | 0,608    | 0,923    |
| 14 Kt  | 0,288   | 0,400   | 0,682    | 1,034    |
| 18 Kt  | 0,322   | 0,447   | 0,762    | 1,156    |
| 21 Kt  | 0,348   | 0,483   | 0,823    | 1,249    |
| 22 Kt  | 0,350   | 0,487   | 0,829    | 0,126    |
| AG 925 | 0,201   | 0,284   | 0,495    | 0,753    |

LOBSTER CLASPS  
WITH RING



| Cod    | CH0MG   | CH1MG    | CH2MG    | CH3MG    | CH4MG    | CH5MG    |
|--------|---------|----------|----------|----------|----------|----------|
| Size   | 8,0x3,3 | 10,0x3,8 | 11,5x4,3 | 13,7x5,3 | 16,3x6,3 | 16,3x8,0 |
| 9 Kt   | 0,279   | 0,440    | 0,586    | 0,984    | 1,550    | 2,259    |
| 10 Kt  | 0,302   | 0,475    | 0,633    | 1,062    | 1,674    | 2,439    |
| 14 Kt  | 0,338   | 0,532    | 0,709    | 1,191    | 1,876    | 2,733    |
| 18 Kt  | 0,378   | 0,595    | 0,793    | 1,331    | 2,097    | 3,055    |
| 21 Kt  | 0,408   | 0,643    | 0,856    | 1,437    | 2,265    | 3,299    |
| 22 Kt  | 0,411   | 0,648    | 0,863    | 1,449    | 2,283    | 3,325    |
| AG 925 | 0,235   | 0,371    | 0,494    | 0,829    | 1,306    | 1,903    |

PEAR SHAPE  
LOBSTER CLASPS  
WITH RING



| Cod    | CHP0MG  | CHP1MG  | CHP2MG   | CHP3MG   |
|--------|---------|---------|----------|----------|
| Size   | 8,0x4,4 | 9,3x5,0 | 11,1x6,1 | 13,1x7,0 |
| 9Kt    | 0,293   | 0,373   | 0,645    | 0,888    |
| 10 Kt  | 0,316   | 0,402   | 0,696    | 0,959    |
| 14 Kt  | 0,354   | 0,451   | 0,780    | 1,074    |
| 18 Kt  | 0,396   | 0,504   | 0,872    | 1,201    |
| 21 Kt  | 0,428   | 0,544   | 0,942    | 1,297    |
| 22 Kt  | 0,431   | 0,549   | 0,949    | 1,307    |
| AG 925 | 0,270   | 0,322   | 0,576    | 0,748    |

Weights shown in grams/piece are purely indicative and may vary.

FLAT END  
CAPS




| Cod    |      | F10   | F15   | F20   | F25   | F30   | F35   |
|--------|------|-------|-------|-------|-------|-------|-------|
| Size   | Ext. | ø 1,0 | ø 1,5 | ø 2,0 | ø 2,5 | ø 3,0 | ø 3,5 |
| 14 Kt  |      |       | 0,058 | 0,076 | 0,091 | 0,126 | 0,144 |
| 18 Kt  |      |       | 0,065 | 0,085 | 0,102 | 0,141 | 0,161 |
| AG 925 |      | 0,031 | 0,045 | 0,053 | 0,074 | 0,088 | 0,113 |

| Cod    |      | F40   | F50   | F60   | F70   | F80   |
|--------|------|-------|-------|-------|-------|-------|
| Size   | Ext. | ø 4,0 | ø 5,0 | ø 6,0 | ø 7,0 | ø 8,0 |
| 14 Kt  |      | 0,192 | 0,239 | 0,290 | 0,295 | 0,456 |
| 18 Kt  |      | 0,215 | 0,267 | 0,325 | 0,402 | 0,510 |
| AG 925 |      | 0,134 | 0,187 | 0,234 | 0,270 | 0,351 |

ROUND END  
CAPS



| Cod    |      | FT10  | FT12  | FT15  | FT20  | FT25  | FT30  | FT35  |
|--------|------|-------|-------|-------|-------|-------|-------|-------|
| Size   | Int. | ø 1,0 | ø 1,2 | ø 1,5 | ø 2,0 | ø 2,5 | ø 3,0 | ø 3,5 |
| 14 Kt  |      |       | 0,072 | 0,098 | 0,134 | 0,172 | 0,244 | 0,407 |
| 18 Kt  |      |       | 0,080 | 0,109 | 0,149 | 0,193 | 0,273 | 0,455 |
| AG 925 |      | 0,037 | 0,05  | 0,068 | 0,093 | 0,120 | 0,170 | 0,200 |



BEADS & OVALS

LIGHT WEIGHT  
BEADS




| Cod    |           | PL2L03009      | PL2L04012      | PL2L05013      | PL2L05016      |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 3,0<br>ø 0,9 | ø 4,0<br>ø 1,2 | ø 5,0<br>ø 1,3 | ø 5,0<br>ø 1,6 |
| AG 925 |           | 0,045          | 0,093          | 0,138          | 0,148          |

LIGHT WEIGHT  
BEADS



| Cod    |           | PL2L06014      | PL2L06016      | PL2L07017      | PL2L08016      |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 6,0<br>ø 1,4 | ø 6,0<br>ø 1,6 | ø 7,0<br>ø 1,7 | ø 8,0<br>ø 1,6 |
| AG 925 |           | 0,225          | 0,228          | 0,393          | 0,630          |

LIGHT WEIGHT  
BEADS



| Cod    |           | PL2L08018      | PL2L08030      | PL2L10026       | PL2L10030       |
|--------|-----------|----------------|----------------|-----------------|-----------------|
| Size   | Ext. Hole | ø 8,0<br>ø 1,8 | ø 8,0<br>ø 3,0 | ø 10,0<br>ø 2,6 | ø 10,0<br>ø 3,0 |
| AG 925 |           | 0,578          | 0,515          | 0,916           | 0,970           |

2 HOLE BEADS



| Cod    |           | PL2N01808      | PL2N02008      | PL2N02009      | PL2N02209      | PL2N02210      | PL2N02509      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 1,8<br>ø 0,8 | ø 2,0<br>ø 0,8 | ø 2,0<br>ø 0,9 | ø 2,2<br>ø 0,9 | ø 2,2<br>ø 1,0 | ø 2,5<br>ø 0,9 |
| 9 Kt   |           | 0,018          | 0,022          | 0,021          | 0,028          | 0,030          | 0,038          |
| 10 Kt  |           | 0,019          | 0,024          | 0,023          | 0,030          | 0,032          | 0,041          |
| 14 Kt  |           | 0,021          | 0,027          | 0,026          | 0,034          | 0,036          | 0,046          |
| 18 Kt  |           | 0,024          | 0,030          | 0,029          | 0,038          | 0,040          | 0,051          |
| 21 Kt  |           | 0,026          | 0,032          | 0,031          | 0,041          | 0,043          | 0,055          |
| 22 Kt  |           | 0,026          | 0,033          | 0,031          | 0,041          | 0,044          | 0,056          |
| AG 925 |           | 0,015          | 0,019          | 0,018          | 0,024          | 0,025          | 0,032          |

2 HOLE BEADS



| Cod    |           | PL2N02511      | PL2N02513      | PL2N03010      | PL2N03012      | PL2N03015      | PL2N03514      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 2,5<br>ø 1,1 | ø 2,5<br>ø 1,3 | ø 3,0<br>ø 1,0 | ø 3,0<br>ø 1,2 | ø 3,0<br>ø 1,5 | ø 3,5<br>ø 1,4 |
| 9 Kt   |           | 0,035          | 0,034          |                | 0,057          | 0,052          | 0,090          |
| 10 Kt  |           | 0,038          | 0,037          |                | 0,061          | 0,057          | 0,097          |
| 14 Kt  |           | 0,043          | 0,041          |                | 0,069          | 0,064          | 0,109          |
| 18 Kt  |           | 0,048          | 0,046          |                | 0,077          | 0,071          | 0,122          |
| 21 Kt  |           | 0,052          | 0,050          |                | 0,083          | 0,077          | 0,132          |
| 22 Kt  |           | 0,052          | 0,050          |                | 0,084          | 0,077          | 0,133          |
| AG 925 |           | 0,030          | 0,031          | 0,048          | 0,048          | 0,044          | 0,076          |

2 HOLE BEADS



| Cod    |           | PL2N03516      | PL2N04010      | PL2N04015      | PL2N04018      | PL2N04518      | PL2N04520      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 3,5<br>ø 1,6 | ø 4,0<br>ø 1,0 | ø 4,0<br>ø 1,5 | ø 4,0<br>ø 1,8 | ø 4,5<br>ø 1,8 | ø 4,5<br>ø 2,0 |
| 9 Kt   |           | 0,084          |                | 0,122          | 0,104          | 0,155          | 0,153          |
| 10 Kt  |           | 0,091          |                | 0,132          | 0,112          | 0,168          | 0,165          |
| 14 Kt  |           | 0,102          |                | 0,148          | 0,125          | 0,188          | 0,185          |
| 18 Kt  |           | 0,114          |                | 0,165          | 0,140          | 0,210          | 0,207          |
| 21 Kt  |           | 0,123          |                | 0,179          | 0,151          | 0,227          | 0,224          |
| 22 Kt  |           | 0,124          |                | 0,180          | 0,152          | 0,229          | 0,225          |
| AG 925 |           | 0,071          | 0,122          | 0,103          | 0,098          | 0,131          | 0,129          |

2 HOLE BEADS




| Cod    |           | PL2N05012      | PL2N05015      | PL2N05018      | PL2N05022      | PL2N06015      | PL2N06024      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 5,0<br>ø 1,2 | ø 5,0<br>ø 1,5 | ø 5,0<br>ø 1,8 | ø 5,0<br>ø 2,2 | ø 6,0<br>ø 1,5 | ø 6,0<br>ø 2,4 |
| 9 Kt   |           | 0,210          | 0,237          |                | 0,172          | 0,324          | 0,301          |
| 10 Kt  |           | 0,227          | 0,256          |                | 0,185          | 0,350          | 0,325          |
| 14 Kt  |           | 0,254          | 0,287          |                | 0,208          | 0,392          | 0,365          |
| 18 Kt  |           | 0,284          | 0,321          |                | 0,232          | 0,438          | 0,408          |
| 21 Kt  |           | 0,307          | 0,347          |                | 0,251          | 0,473          | 0,440          |
| 22 Kt  |           | 0,309          | 0,349          |                | 0,253          | 0,477          | 0,444          |
| AG 925 |           | 0,177          | 0,200          | 0,193          | 0,145          | 0,273          | 0,254          |

2 HOLE BEADS



| Cod    |           | PL2N07018      | PL2N07028      | PL2N08020      | PL2N08025      | PL2N08030      | PL2N08045      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 7,0<br>ø 1,8 | ø 7,0<br>ø 2,8 | ø 8,0<br>ø 2,0 | ø 8,0<br>ø 2,5 | ø 8,0<br>ø 3,0 | ø 8,0<br>ø 4,5 |
| 9 Kt   |           |                | 0,451          | 0,748          | 0,757          | 0,625          |                |
| 10 Kt  |           |                | 0,487          | 0,807          | 0,817          | 0,675          |                |
| 14 Kt  |           |                | 0,546          | 0,905          | 0,916          | 0,756          |                |
| 18 Kt  |           |                | 0,610          | 1,011          | 1,024          | 0,845          |                |
| 21 Kt  |           |                | 0,659          | 1,092          | 1,106          | 0,913          |                |
| 22 Kt  |           |                | 0,664          | 1,100          | 1,115          | 0,920          |                |
| AG 925 |           | 0,480          | 0,422          | 0,630          | 0,638          | 0,577          | 0,510          |

2 HOLE BEADS



| Cod    |           | PL2N09021      | PL2N09034      | PL2N10022       | PL2N10034       | PL2N10050       | PL2N12050       |
|--------|-----------|----------------|----------------|-----------------|-----------------|-----------------|-----------------|
| Size   | Ext. Hole | ø 9,0<br>ø 2,1 | ø 9,0<br>ø 3,4 | ø 10,0<br>ø 2,2 | ø 10,0<br>ø 3,4 | ø 10,0<br>ø 5,0 | ø 12,0<br>ø 5,0 |
| 9 Kt   |           | 0,963          | 0,895          |                 | 1,314           | 1,047           | 1,965           |
| 10 Kt  |           | 1,039          | 0,966          |                 | 1,419           | 1,130           | 2,122           |
| 14 Kt  |           | 1,165          | 1,083          |                 | 1,590           | 1,267           | 2,378           |
| 18 Kt  |           | 1,302          | 1,210          |                 | 1,777           | 1,416           | 2,658           |
| 21 Kt  |           | 1,406          | 1,307          |                 | 1,919           | 1,529           | 2,871           |
| 22 Kt  |           | 1,417          | 1,317          |                 | 1,934           | 1,541           | 2,893           |
| AG 925 |           | 0,811          | 0,754          | 1,180           | 1,107           | 0,882           | 1,656           |

OVAL BEADS



| Cod    |           | OL2N03012        | OL2N04013        | OL2N05013        |
|--------|-----------|------------------|------------------|------------------|
| Size   | Ext. Hole | 3,0x4,5<br>ø 1,2 | 4,0x6,5<br>ø 1,3 | 5,0x8,0<br>ø 1,3 |
| 9 Kt   |           | 0,094            | 0,194            | 0,369            |
| 10 Kt  |           | 0,101            | 0,210            | 0,398            |
| 14 Kt  |           | 0,114            | 0,235            | 0,447            |
| 18 Kt  |           | 0,127            | 0,263            | 0,499            |
| 21 Kt  |           | 0,137            | 0,284            | 0,539            |
| 22 Kt  |           | 0,138            | 0,286            | 0,543            |
| AG 925 |           | 0,084            | 0,172            | 0,311            |

OVAL BEADS



| Cod    |           | OL2N05018        | OL2N06015        | OL2N07015        |
|--------|-----------|------------------|------------------|------------------|
| Size   | Ext. Hole | 5,0x8,0<br>ø 1,8 | 6,0x8,0<br>ø 1,5 | 7,0x9,0<br>ø 1,5 |
| 9 Kt   |           | 0,378            | 0,370            | 0,835            |
| 10 Kt  |           | 0,408            | 0,399            | 0,901            |
| 14 Kt  |           | 0,457            | 0,447            | 1,010            |
| 18 Kt  |           | 0,511            | 0,500            | 1,129            |
| 21 Kt  |           | 0,552            | 0,540            | 1,219            |
| 22 Kt  |           | 0,556            | 0,544            | 1,229            |
| AG 925 |           | 0,318            | 0,311            | 0,703            |

Weights shown in grams/piece are purely indicative and may vary.

HAMMER  
BEADS



| Cod    |           | PM2N03012      | PM2N03015      | PM2N04015      | PM2N04018      |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. hole | ø 3,0<br>ø 1,2 | ø 3,0<br>ø 1,5 | ø 4,0<br>ø 1,5 | ø 4,0<br>ø 1,8 |
| 14 Kt  |           | 0,075          | 0,070          | 0,138          | 0,132          |
| 18 Kt  |           | 0,084          | 0,078          | 0,154          | 0,148          |
| AG 925 |           | 0,052          | 0,049          | 0,096          | 0,092          |

HAMMER  
BEADS



| Cod    |           | PM2N05022      | PM2N06024      | PM2N07028      | PM2N08030      |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 5,0<br>ø 2,2 | ø 6,0<br>ø 2,4 | ø 7,0<br>ø 2,8 | ø 8,0<br>ø 3,0 |
| 14 Kt  |           | 0,220          | 0,321          | 0,580          | 0,797          |
| 18 Kt  |           | 0,246          | 0,359          | 0,648          | 0,891          |
| AG 925 |           | 0,153          | 0,224          | 0,404          | 0,555          |

HAMMER  
BEADS



| Cod    |           | PM2N09034      | PM2N10034       | PM2N10050       | PM2N12050       |
|--------|-----------|----------------|-----------------|-----------------|-----------------|
| Size   | Ext. hole | ø 9,0<br>ø 3,4 | ø 10,0<br>ø 3,4 | ø 10,0<br>ø 5,0 | ø 12,0<br>ø 5,0 |
| 14 Kt  |           | 1,050          | 1,560           | 1,449           | 1,616           |
| 18 Kt  |           | 1,174          | 1,744           | 1,619           | 1,806           |
| AG 925 |           | 0,731          | 1,086           | 1,009           | 1,125           |

DOUGHNUT  
SEPARATORS



| Cod    |           | TLN03011           | TLN03512           | TLN04012           | TLN05015           | TLN06021           |
|--------|-----------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Size   | Ext. Hole | ø 3,0x1,1<br>ø 1,1 | ø 3,5x1,4<br>ø 1,2 | ø 4,0x1,4<br>ø 1,2 | ø 5,0x1,7<br>ø 1,5 | ø 6,0x1,8<br>ø 2,1 |
| 14 Kt  |           | 0,045              | 0,072              | 0,106              | 0,171              | 0,223              |
| 18 Kt  |           | 0,050              | 0,080              | 0,119              | 0,191              | 0,249              |
| AG 925 |           | 0,031              | 0,050              | 0,074              | 0,119              | 0,155              |

| Cod    |           | TLN07022           | TLN08026           | TLN09040           | TLN10039            | TLN11048            |
|--------|-----------|--------------------|--------------------|--------------------|---------------------|---------------------|
| Size   | Ext. Hole | ø 7,0x2,6<br>ø 2,2 | ø 8,0x3,0<br>ø 2,6 | ø 9,0x3,6<br>ø 4,0 | ø 10,0x4,1<br>ø 3,9 | ø 11,0x4,5<br>ø 4,8 |
| 14 Kt  |           | 0,331              | 0,597              | 0,732              | 1,083               | 1,571               |
| 18 Kt  |           | 0,370              | 0,668              | 0,819              | 1,210               | 1,756               |
| AG 925 |           | 0,231              | 0,416              | 0,510              | 0,754               | 1,094               |

HAMMERED  
DOUGHNUT  
SEPARATORS



| Cod    |           | TMN03512           | TMN04012           | TMN05015           | TMN06021           | TMN07022           |
|--------|-----------|--------------------|--------------------|--------------------|--------------------|--------------------|
| Size   | Ext. Hole | ø 3,5x1,4<br>ø 1,2 | ø 4,0x1,4<br>ø 1,2 | ø 5,0x1,7<br>ø 1,5 | ø 6,0x1,8<br>ø 2,1 | ø 7,0x2,6<br>ø 2,2 |
| 14 Kt  |           | 0,070              | 0,103              | 0,166              | 0,220              | 0,321              |
| 18 Kt  |           | 0,078              | 0,115              | 0,185              | 0,246              | 0,359              |
| AG 925 |           | 0,049              | 0,072              | 0,115              | 0,153              | 0,224              |

| Cod    |           | TMN08026           | TMN09040           | TMN10039            | TMN11048          |
|--------|-----------|--------------------|--------------------|---------------------|-------------------|
| Size   | Ext. Hole | ø 8,0x3,0<br>ø 2,6 | ø 9,0x3,6<br>ø 4,0 | ø 10,0x4,1<br>ø 3,9 | 11,0x4,5<br>ø 4,8 |
| 14 Kt  |           | 0,580              | 0,710              | 1,050               | 1,524             |
| 18 Kt  |           | 0,648              | 0,794              | 1,174               | 1,704             |
| AG 925 |           | 0,404              | 0,495              | 0,731               | 1,061             |

Weights shown in grams/piece are purely indicative and may vary.

# TYRE SEPARATORS



| Cod    |           | COP03013         | COP04019         | COP05023         | COP06025         | COP08036         | COP10042          |
|--------|-----------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Size   | Ext. Hole | ø 3x1,5<br>ø 1,3 | ø 4x2,0<br>ø 1,9 | ø 5x2,7<br>ø 2,3 | ø 6x3,7<br>ø 2,5 | ø 8x5,3<br>ø 3,6 | ø 10x6,5<br>ø 4,2 |
| 14 kt  |           | 0,073            | 0,144            | 0,221            | 0,366            | 0,750            | 1,340             |
| 18 kt  |           | 0,082            | 0,161            | 0,247            | 0,409            | 0,830            | 1,490             |
| AG 925 |           | 0,051            | 0,100            | 0,154            | 0,255            | 0,520            | 0,930             |

# D/CUT TYRE SEPARATORS



| Cod    |           | COP03013D        | COP04019D        | COP05023D        | COP06025D        | COP08036D        | COP10042D         |
|--------|-----------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Size   | Ext. Hole | ø 3x1,5<br>ø 1,3 | ø 4x2,0<br>ø 1,9 | ø 5x2,7<br>ø 2,3 | ø 6x3,7<br>ø 2,5 | ø 8x5,3<br>ø 3,6 | ø 10x6,5<br>ø 4,2 |
| 14 kt  |           | 0,072            | 0,136            | 0,221            | 0,366            | 0,525            | 0,938             |
| 18 kt  |           | 0,080            | 0,153            | 0,247            | 0,409            | 0,581            | 1,043             |
| AG 925 |           | 0,043            | 0,087            | 0,130            | 0,215            | 0,364            | 0,651             |

# HAMMERED TYRE SEPARATORS



| Cod    |           | COP03013M        | COP04019M        | COP05023M        | COP06025M        | COP08036M        | COP10042M         |
|--------|-----------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Size   | Ext. Hole | ø 3x1,5<br>ø 1,3 | ø 4x2,0<br>ø 1,9 | ø 5x2,7<br>ø 2,3 | ø 6x3,7<br>ø 2,5 | ø 8x5,3<br>ø 3,6 | ø 10x6,5<br>ø 4,2 |
| 14 kt  |           | 0,072            | 0,136            | 0,221            | 0,366            | 0,712            | 1,273             |
| 18 kt  |           | 0,080            | 0,153            | 0,247            | 0,409            | 0,788            | 1,415             |
| AG 925 |           | 0,050            | 0,095            | 0,154            | 0,255            | 0,494            | 0,883             |

NO HOLE BEADS



| Cod    |      | PLON020 | PLON025 | PLON030 | PLON040 |
|--------|------|---------|---------|---------|---------|
| Size   | Ext. | ø 2     | ø 2,5   | ø 3,0   | ø 4,0   |
| 14 Kt  |      | 0,036   | 0,057   | 0,090   | 0,182   |
| 18 Kt  |      | 0,040   | 0,064   | 0,101   | 0,204   |
| AG 925 |      | 0,025   | 0,040   | 0,063   | 0,127   |

| Cod    |      | PLON050 | PLON060 | PLON070 | PLON080 |
|--------|------|---------|---------|---------|---------|
| Size   | Ext. | ø 5,0   | ø 6,0   | ø 7,0   | ø 8,0   |
| 14 Kt  |      | 0,284   | 0,465   | 0,717   | 0,936   |
| 18 Kt  |      | 0,318   | 0,520   | 0,801   | 1,047   |
| AG 925 |      | 0,198   | 0,324   | 0,499   | 0,652   |

NO HOLE BEADS  
WITH RING



| Cod    |           | PLON030MG | PLON040MG | PLON050MG | PLON060MG |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | Ext.      | ø 3       | ø 4       | ø 5       | ø 6       |
|        | Ring ext. | ø 2,8     | ø 3,2     | ø 3,3     | ø 3,3     |
|        | Wire      | ø 0,6     | ø 0,6     | ø 0,6     | ø 0,6     |
| 9 Kt   |           | 0,100     | 0,176     | 0,267     | 0,373     |
| 10 Kt  |           | 0,108     | 0,190     | 0,288     | 0,402     |
| 14 Kt  |           | 0,121     | 0,213     | 0,323     | 0,451     |
| 18 Kt  |           | 0,135     | 0,238     | 0,361     | 0,504     |
| 21 Kt  |           | 0,146     | 0,257     | 0,390     | 0,544     |
| 22 Kt  |           | 0,147     | 0,259     | 0,393     | 0,549     |
| AG 925 |           | 0,084     | 0,148     | 0,225     | 0,314     |

No hole Beads with ring can be supplied with open or soldered ring.


1 HOLE  
SEAMLESS BEADS



| Cod    |              | PL1N03009      | PL1N04009      | PL1N05009      |
|--------|--------------|----------------|----------------|----------------|
| Size   | Ext.<br>Hole | ø 3,0<br>ø 0,9 | ø 4,0<br>ø 0,9 | ø 5,0<br>ø 0,9 |
| 9 Kt   |              | 0,070          | 0,126          | 0,207          |
| 10 Kt  |              | 0,076          | 0,136          | 0,224          |
| 14 Kt  |              | 0,085          | 0,152          | 0,251          |
| 18 Kt  |              | 0,095          | 0,170          | 0,280          |
| 21 Kt  |              | 0,103          | 0,184          | 0,302          |
| 22 Kt  |              | 0,103          | 0,185          | 0,305          |
| AG 925 |              | 0,059          | 0,110          | 0,190          |

| Cod    |              | PL1N06009      | PL1N07009      | PL1N08009      |
|--------|--------------|----------------|----------------|----------------|
| Size   | Ext.<br>Hole | ø 6,0<br>ø 0,9 | ø 7,0<br>ø 0,9 | ø 8,0<br>ø 0,9 |
| 9 Kt   |              | 0,333          | 0,596          | 0,731          |
| 10 Kt  |              | 0,359          | 0,643          | 0,789          |
| 14 Kt  |              | 0,403          | 0,726          | 0,884          |
| 18 Kt  |              | 0,450          | 0,806          | 0,989          |
| 21 Kt  |              | 0,486          | 0,870          | 1,068          |
| 22 Kt  |              | 0,490          | 0,877          | 1,077          |
| AG 925 |              | 0,360          | 0,430          | 0,640          |



DIAMOND  
CUT BEADS

D/CUT  
OVAL BEADS

| Cod    |           | OD2N03012        | OD2N04013        |
|--------|-----------|------------------|------------------|
| Size   | Ext. Hole | 3,0x4,5<br>ø 1,2 | 4,0x6,5<br>ø 1,3 |
| 9 Kt   |           | 0,072            | 0,142            |
| 10 Kt  |           | 0,077            | 0,154            |
| 14 Kt  |           | 0,087            | 0,172            |
| 18 Kt  |           | 0,097            | 0,193            |
| 21 Kt  |           | 0,105            | 0,208            |
| 22 Kt  |           | 0,105            | 0,210            |
| AG 925 |           | 0,060            | 0,120            |



3F



5F



3L



5L



XX



SO



SS

## D/CUT ROUND BEADS

| Cod    |           | PD2N01808      | PD2N02008      | PD2N02009      | PD2N02209      | PD2N02210      | PD2N02509      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 1,8<br>ø 0,8 | ø 2,0<br>ø 0,8 | ø 2,0<br>ø 0,9 | ø 2,2<br>ø 0,9 | ø 2,2<br>ø 1,0 | ø 2,5<br>ø 0,9 |
| 9 Kt   |           | 0,014          | 0,017          | 0,015          | 0,022          | 0,021          | 0,028          |
| 10 Kt  |           | 0,015          | 0,018          | 0,016          | 0,023          | 0,023          | 0,030          |
| 14 Kt  |           | 0,017          | 0,020          | 0,018          | 0,026          | 0,025          | 0,034          |
| 18 Kt  |           | 0,019          | 0,022          | 0,020          | 0,029          | 0,028          | 0,038          |
| 21 Kt  |           | 0,021          | 0,024          | 0,022          | 0,032          | 0,031          | 0,041          |
| 22 Kt  |           | 0,021          | 0,024          | 0,022          | 0,032          | 0,031          | 0,041          |
| AG 925 |           |                |                |                | 0,018          | 0,018          | 0,024          |

## D/CUT ROUND BEADS

| Cod    |           | PD2N02511      | PD2N02513      | PD2N03012      | PD2N03015      | PD2N04015      | PD2N04018      |
|--------|-----------|----------------|----------------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 2,5<br>ø 1,1 | ø 2,5<br>ø 1,3 | ø 3,0<br>ø 1,2 | ø 3,0<br>ø 1,5 | ø 4,0<br>ø 1,5 | ø 4,0<br>ø 1,8 |
| 9 Kt   |           | 0,024          | 0,022          | 0,040          | 0,036          | 0,075          | 0,071          |
| 10 Kt  |           | 0,025          | 0,024          | 0,044          | 0,039          | 0,081          | 0,077          |
| 14 Kt  |           | 0,029          | 0,027          | 0,049          | 0,044          | 0,091          | 0,086          |
| 18 Kt  |           | 0,032          | 0,030          | 0,055          | 0,049          | 0,102          | 0,096          |
| 21 Kt  |           | 0,034          | 0,032          | 0,059          | 0,053          | 0,110          | 0,104          |
| 22 Kt  |           | 0,035          | 0,032          | 0,059          | 0,053          | 0,111          | 0,104          |
| AG 925 |           | 0,020          | 0,019          | 0,034          | 0,030          | 0,063          | 0,060          |

## D/CUT ROUND BEADS

| Cod    |           | PD2N05022      | PD2N06024      | PD2N08030      | PD2N10050       | PD2N12050       |
|--------|-----------|----------------|----------------|----------------|-----------------|-----------------|
| Size   | Ext. Hole | ø 5,0<br>ø 2,2 | ø 6,0<br>ø 2,4 | ø 8,0<br>ø 3,0 | ø 10,0<br>ø 5,0 | ø 12,0<br>ø 5,0 |
| 9 Kt   |           | 0,117          | 0,189          | 0,485          | 0,681           | 1,150           |
| 10 Kt  |           | 0,126          | 0,204          | 0,494          | 0,735           | 1,242           |
| 14 Kt  |           | 0,142          | 0,228          | 0,554          | 0,824           | 1,392           |
| 18 Kt  |           | 0,158          | 0,255          | 0,619          | 0,921           | 1,556           |
| 21 Kt  |           | 0,171          | 0,275          | 0,669          | 0,995           | 1,681           |
| 22 Kt  |           | 0,172          | 0,278          | 0,674          | 1,002           | 1,694           |
| AG 925 |           | 0,099          | 0,159          | 0,386          | 0,574           | 0,969           |

|           | 5F | 3F | LI | 3L | SO | XX | SS | 5L | XL |
|-----------|----|----|----|----|----|----|----|----|----|
| PD2N01808 |    |    |    | X  |    |    |    |    |    |
| PD2N02008 |    |    | X  | X  |    |    |    |    |    |
| PD2N02009 |    |    | X  | X  |    |    |    |    |    |
| PD2N02209 |    | X  | X  | X  | X  |    |    |    |    |
| PD2N02210 |    | X  | X  | X  | X  |    |    |    |    |
| PD2N02509 |    | X  | X  | X  | X  | X  |    |    |    |
| PD2N02511 |    | X  | X  | X  | X  | X  |    |    |    |
| PD2N02513 |    | X  | X  | X  | X  | X  |    |    |    |
| PD2N03012 | X  | X  | X  | X  | X  | X  | X  |    | X  |
| PD2N03015 | X  | X  | X  | X  | X  | X  | X  |    | X  |
| PD2N04015 | X  | X  | X  | X  | X  | X  | X  |    | X  |
| PD2N04018 | X  | X  | X  | X  | X  | X  | X  |    | X  |
| PD2N05022 | X  | X  | X  | X  | X  | X  | X  |    | X  |
| PD2N06024 | X  | X  | X  | X  | X  | X  | X  | X  | X  |
| PD2N08030 | X  |    | X  |    | X  | X  | X  | X  | X  |
| PD2N10050 | X  |    | X  |    | X  | X  | X  | X  | X  |
| PD2N12050 |    |    | X  |    | X  | X  | X  | X  | X  |



5F



3F



LI



3L



SO



XX




SS



5L



XL



# GENERAL FINDINGS

BUTTERFLIES



| Cod    |                 | FA040      | FA045       | FA050        |
|--------|-----------------|------------|-------------|--------------|
| Size   | Length<br>Diam. | 5,9<br>ø 4 | 5,75<br>ø 4 | 6,5<br>ø 5,3 |
| 9Kt    |                 | 0,089      | 0,152       | 0,210        |
| 10 Kt  |                 | 0,096      | 0,164       | 0,227        |
| 14 Kt  |                 | 0,107      | 0,184       | 0,254        |
| 18 Kt  |                 | 0,120      | 0,206       | 0,284        |
| 21 Kt  |                 | 0,130      | 0,222       | 0,307        |
| 22 Kt  |                 | 0,131      | 0,224       | 0,309        |
| AG 925 |                 | 0,114      | 0,145       | 0,177        |

POSTS



| Cod    |                 | PE090         |
|--------|-----------------|---------------|
| Size   | Length<br>Diam. | 11,0<br>ø 0,9 |
| 9Kt    |                 | 0,074         |
| 10 Kt  |                 | 0,080         |
| 14 Kt  |                 | 0,089         |
| 18 Kt  |                 | 0,100         |
| 21 Kt  |                 | 0,108         |
| 22 Kt  |                 | 0,109         |
| AG 925 |                 | 0,070         |

\*Also available with 2 notches and any length

LEVER BACKS



| Cod    |                 | LBD01         |
|--------|-----------------|---------------|
| Size   | Length<br>Diam. | 13,5<br>Ø 9,3 |
| AG 925 |                 | 0,385         |

HOOKS




| Cod    |        | HOS01 |
|--------|--------|-------|
| Size   | Length | 17,61 |
| AG 925 |        | 0,271 |

HOOKS



| Cod    |        | HOS02 |
|--------|--------|-------|
| Size   | Length | 17,61 |
| AG 925 |        | 0,221 |

## HEAD PINS



| Cod    |             | HP04038       | HP04050       | HP04075       | HP05020       | HP05025       | HP05038       |
|--------|-------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Size   | Wire Length | ø 0,4<br>38,0 | ø 0,4<br>50,0 | ø 0,4<br>75,0 | ø 0,5<br>20,0 | ø 0,5<br>25,0 | ø 0,5<br>38,0 |
| AG 925 |             | 0,065         | 0,080         | 0,114         | 0,062         | 0,072         | 0,100         |

| Cod    |             | HP05050       | HP05075       | HP06538        | HP06550        | HP06575        |
|--------|-------------|---------------|---------------|----------------|----------------|----------------|
| Size   | Wire Length | ø 0,5<br>50,0 | ø 0,5<br>75,0 | ø 0,65<br>38,0 | ø 0,65<br>50,0 | ø 0,65<br>75,0 |
| AG 925 |             | 0,123         | 0,167         | 0,160          | 0,201          | 0,285          |

## SPLIT RINGS



| Cod    | BR50  | BR60  | BR70  | BR90  |
|--------|-------|-------|-------|-------|
| Size   | ø 5,0 | ø 6,0 | ø 7,0 | ø 9,0 |
| 14 Kt  | 0,097 | 0,173 | 0,281 | 0,505 |
| 18 Kt  | 0,108 | 0,193 | 0,315 | 0,565 |
| AG 925 | 0,071 | 0,133 | 0,196 | 0,384 |

## D/CUT WIRE



| Cod    | FD060 T03 | FD080 T03 | FD100 T03 | FD130 T03 |
|--------|-----------|-----------|-----------|-----------|
| Size   | ø 0,6     | ø 0,8     | ø 1,0     | ø 1,3     |
| 14 Kt  | 3,81      | 7,04      | 10,56     | 15,51     |
| 18 Kt  | 4,25      | 7,87      | 11,80     | 17,34     |
| AG 925 | 2,65      | 4,90      | 7,35      | 10,80     |

Weights Shown are in Grams/meter

D/CUT TUBE BY  
METER



| Cod    |           | TD130          | TD150          | TD180          | TD200          |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 1,3<br>ø 0,9 | ø 1,5<br>ø 1,1 | ø 1,8<br>ø 1,3 | ø 2,0<br>ø 1,5 |
| 14 Kt  |           | 8,94           | 11,68          | 13,41          | 19,18          |
| 18 Kt  |           | 9,95           | 13,00          | 14,93          | 21,35          |
| AG 925 |           | 6,20           | 8,10           | 9,30           | 13,30          |

SHORT TUBES



| Cod    |                  | TL1309 03              | TL1511 03              | TL1813 03              | TL2015 03              |
|--------|------------------|------------------------|------------------------|------------------------|------------------------|
| Size   | Ext. Hole Length | ø 1,3<br>ø 0,9<br>3,00 | ø 1,5<br>ø 1,1<br>3,00 | ø 1,8<br>ø 1,3<br>3,00 | ø 2,0<br>ø 1,5<br>3,00 |
| 18 kt  |                  | 0,037                  | 0,045                  | 0,053                  | 0,064                  |
| 14 kt  |                  | 0,033                  | 0,040                  | 0,048                  | 0,058                  |
| AG 925 |                  | 0,023                  | 0,028                  | 0,033                  | 0,040                  |


D/CUT SHORT  
TUBES



| Cod    |                  | TD1309 03              | TD1511 03              | TD1813 03              | TD2015 03              |
|--------|------------------|------------------------|------------------------|------------------------|------------------------|
| Size   | Ext. Hole Length | ø 1,3<br>ø 0,9<br>3,00 | ø 1,5<br>ø 1,1<br>3,00 | ø 1,8<br>ø 1,3<br>3,00 | ø 2,0<br>ø 1,5<br>3,00 |
| 18 kt  |                  | 0,032                  | 0,040                  | 0,048                  | 0,058                  |
| 14 kt  |                  | 0,029                  | 0,036                  | 0,043                  | 0,052                  |
| AG 925 |                  | 0,020                  | 0,025                  | 0,030                  | 0,036                  |

Short tubes may be supplied in different lengths.  
Weights shown in grams/meter are purely indicative and may vary.





# SILICONE FINDINGS

ROUND  
STOPPERS



| Cod    |      | PC2N03015<br>/01 | PC2N04018<br>/02 | PC2N04518<br>/04 | PC2N05022<br>/07 |
|--------|------|------------------|------------------|------------------|------------------|
| Size   | Ext. | ø 3,0            | ø 4,0            | ø 4,5            | ø 5,0            |
|        | Hole | ø 1,5            | ø 1,8            | ø 1,8            | ø 2,2            |
|        | Int. | ø 0,1            | ø 0,2            | ø 0,4            | ø 0,7            |
| 14 Kt  |      | 0,070            | 0,150            | 0,215            | 0,253            |
| 18 Kt  |      | 0,078            | 0,168            | 0,240            | 0,283            |
| AG 925 |      | 0,055            | 0,125            | 0,161            | 0,203            |

| Cod    |      | PC2N06024<br>/10 | PC2N08045<br>/20 | PC2N10042<br>/22 |
|--------|------|------------------|------------------|------------------|
| Size   | Ext. | ø 6,0            | ø 8,0            | ø 10,0           |
|        | Hole | ø 2,4            | ø 4,5            | ø 4,2            |
|        | Int. | ø 1,0            | ø 2,0            | ø 2,2            |
| 14 Kt  |      | 0,402            | 0,812            | 1,813            |
| 18 Kt  |      | 0,449            | 0,908            | 2,026            |
| AG 925 |      | 0,322            | 0,674            | 1,285            |

ROUND STOPPERS  
WITH RING



| Cod    |      | PC2N03015<br>/01MG | PC2N04018<br>/02MG | PC2N04518<br>/04MG | PC2N05022<br>/07MG |
|--------|------|--------------------|--------------------|--------------------|--------------------|
| Size   | Ext. | ø 3,0              | ø 4,0              | ø 4,5              | ø 5,0              |
|        | Hole | ø 1,5              | ø 1,8              | ø 1,8              | ø 2,2              |
|        | Int. | ø 0,1              | ø 0,2              | ø 0,4              | ø 0,7              |
| 14 Kt  |      | 0,093              | 0,203              | 0,266              | 0,334              |
| 18 Kt  |      | 0,104              | 0,223              | 0,298              | 0,365              |
| AG 925 |      | 0,065              | 0,142              | 0,185              | 0,226              |

| Cod    |      | PC2N06024<br>/10MG | PC2N08045<br>/20MG | PC2N10042<br>/22MG |
|--------|------|--------------------|--------------------|--------------------|
| Size   | Ext. | ø 6,0              | ø 8,0              | ø 10,0             |
|        | Hole | ø 2,4              | ø 4,5              | ø 4,2              |
|        | Int. | ø 1,0              | ø 2,0              | ø 2,2              |
| 14 Kt  |      | 0,413              | 1,930              | 2,189              |
| 18 Kt  |      | 0,456              | 2,157              | 2,446              |
| AG 925 |      | 0,353              | 1,344              | 1,524              |

All Sliding Beads can be supplied with Soldered Ring -S

DOUGHNUT  
STOPPERS



| Cod    |                      | TCN05025/10                 | TCN06032/21                 | TCN08043/27                 |
|--------|----------------------|-----------------------------|-----------------------------|-----------------------------|
| Size   | Ext.<br>Hole<br>Int. | ø 5,0x3,0<br>ø 2,5<br>ø 1,0 | ø 6,0x3,3<br>ø 3,2<br>ø 2,1 | ø 8,0x3,9<br>ø 4,3<br>ø 2,7 |
| 14 Kt  |                      | 0,179                       | 0,265                       | 0,469                       |
| 18 Kt  |                      | 0,200                       | 0,290                       | 0,524                       |
| AG 925 |                      | 0,131                       | 0,230                       | 0,462                       |

DOUGHNUT  
STOPPERS  
WITH RING



| Cod    |                      | TCN05025/10MG               | TCN06032/21MG               | TCN08043/27MG               |
|--------|----------------------|-----------------------------|-----------------------------|-----------------------------|
| Size   | Ext.<br>Hole<br>Int. | ø 5,0x3,0<br>ø 2,5<br>ø 1,0 | ø 6,0x3,3<br>ø 3,2<br>ø 2,1 | ø 8,0x3,9<br>ø 4,3<br>ø 2,7 |
| 14 Kt  |                      | 0,209                       | 0,283                       | 0,675                       |
| 18 Kt  |                      | 0,234                       | 0,310                       | 0,754                       |
| AG 925 |                      | 0,148                       | 0,240                       | 0,470                       |

All Sliding Doughnut can be supplied with Soldered Ring -S


TWIN DOUGHNUT  
STOPPERS



| Cod    |                      | TCN05025/10 2X          | TCN06032/21 2X          | TCN08043/27 2X          |
|--------|----------------------|-------------------------|-------------------------|-------------------------|
| Size   | Ext.<br>Hole<br>Int. | ø 5,0<br>ø 2,5<br>ø 1,0 | ø 6,0<br>ø 3,2<br>ø 2,1 | ø 8,0<br>ø 4,3<br>ø 2,7 |
| 14 Kt  |                      | 0,359                   | 0,530                   | 0,938                   |
| 18 Kt  |                      | 0,401                   | 0,580                   | 1,048                   |
| AG 925 |                      | 0,257                   | 0,460                   | 0,940                   |

|              | INTERNAL Ø FOR CHAIN/WIRE |
|--------------|---------------------------|
| PC2N03015/01 | 0,2 > 0,4 mm              |
| PC2N04018/02 | 0,5 > 0,6 mm              |
| PC2N04518/04 | 0,7 > 0,9 mm              |
| PC2N05022/07 | 1,0 > 1,2 mm              |
| PC2N06024/10 | 1,3 > 1,6 mm              |
| PC2N08045/20 | 1,7 > 2,2 mm              |
| PC2N10042/22 | 2,3 > 3,0 mm              |
| TCN05015/10  | 1,2 > 1,5 mm              |
| TCN06032/21  | 1,6 > 1,9 mm              |
| TCN08043/27  | 2,0 > 2,4 mm              |

The internal measure of silicone parts may vary according to the different batches of silicone supplied.



BEAD CHAINS

SMOOTH  
BEAD CHAIN

| Cod    | CPA10 | CPA12 | CPA15 | CPA18 | CPA20 | CPA22 | CPA25 | CPA30 |
|--------|-------|-------|-------|-------|-------|-------|-------|-------|
| Size   | ø 1,0 | ø 1,2 | ø 1,5 | ø 1,8 | ø 2,0 | ø 2,2 | ø 2,5 | ø 3,0 |
| 9 Kt   | 3,13  | 4,64  | 7,06  | 9,93  | 13,77 | 15,95 | 21,36 | 28,21 |
| 10 Kt  | 3,38  | 5,01  | 7,62  | 10,72 | 14,86 | 17,22 | 23,07 | 30,46 |
| 14 Kt  | 3,78  | 5,62  | 8,54  | 12,02 | 16,66 | 18,60 | 25,85 | 34,14 |
| 18 Kt  | 4,23  | 6,28  | 9,55  | 13,43 | 18,62 | 21,58 | 28,90 | 38,16 |
| 21 Kt  | 4,57  | 6,78  | 10,31 | 15,40 | 20,11 | 23,31 | 31,21 | 41,21 |
| 22 Kt  | 4,60  | 6,83  | 10,39 | 14,62 | 20,27 | 23,48 | 31,45 | 41,53 |
| AG 925 | 2,91  | 3,91  | 6,54  | 9,21  | 11,60 | 14,78 | 18,00 | 23,77 |



SMOOTH  
BEAD AND  
BARREL CHAIN

| Cod    | CPB10 | CPB12 | CPB15 | CPB18 |
|--------|-------|-------|-------|-------|
| Size   | ø 1,0 | ø 1,2 | ø 1,5 | ø 1,8 |
| 9 Kt   | 3,51  | 4,96  | 7,96  | 11,75 |
| 10 Kt  | 3,79  | 5,35  | 8,60  | 12,69 |
| 14 Kt  | 4,25  | 6,01  | 9,64  | 14,22 |
| 18 Kt  | 4,75  | 6,71  | 10,77 | 15,89 |
| 21 Kt  | 5,13  | 7,25  | 11,63 | 17,16 |
| 22 Kt  | 5,17  | 7,30  | 11,72 | 17,30 |
| AG 925 | 2,96  | 4,18  | 6,71  | 9,90  |



8 SIDE D/CUT  
BEAD CHAIN

| Cod    | CPA10D | CPA12D | CPA15D | CPA18D | CPA20D | CPA22D | CPA25D | CPA30D |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Size   | ø 1,0  | ø 1,2  | ø 1,5  | ø 1,8  | ø 2,0  | ø 2,2  | ø 2,5  | ø 3,0  |
| 9 Kt   | 2,97   | 3,75   | 6,54   | 8,83   | 12,34  | 16,10  | 18,99  | 23,44  |
| 10 Kt  | 3,21   | 4,05   | 7,06   | 9,53   | 13,33  | 17,38  | 20,50  | 25,31  |
| 14 Kt  | 3,60   | 4,55   | 7,92   | 10,68  | 14,94  | 19,50  | 22,98  | 28,39  |
| 18 Kt  | 4,02   | 5,08   | 8,85   | 11,94  | 16,70  | 21,78  | 25,68  | 31,72  |
| 21 Kt  | 4,34   | 5,49   | 9,56   | 12,90  | 18,03  | 23,53  | 27,74  | 34,26  |
| 22 Kt  | 4,37   | 5,53   | 9,63   | 13,00  | 18,17  | 23,70  | 27,96  | 34,51  |
| AG 925 | 2,78   | 3,69   | 6,06   | 8,18   | 10,40  | 13,57  | 16,00  | 19,76  |



8 SIDE D/CUT  
BEAD AND  
BARREL CHAIN

| Cod    | CPB10D | CPB12D | CPB15D | CPB18D |
|--------|--------|--------|--------|--------|
| Size   | ø 1,0  | ø 1,2  | ø 1,5  | ø 1,8  |
| 9 Kt   | 2,98   | 4,44   | 7,87   | 9,77   |
| 10 Kt  | 3,22   | 4,79   | 8,49   | 10,55  |
| 14 Kt  | 3,61   | 5,37   | 9,53   | 11,83  |
| 18 Kt  | 4,03   | 6,01   | 10,64  | 13,22  |
| 21 Kt  | 4,35   | 6,48   | 11,49  | 14,28  |
| 22 Kt  | 4,39   | 6,53   | 11,58  | 14,39  |
| AG 925 | 2,76   | 4,11   | 6,63   | 9,06   |



Weights shown in grams/meter are purely indicative and may vary.

SQUARE SHAPE  
BEAD CHAIN

| Cod    | CPA12QD | CPA15QD | CPA18QD | CPA22QD | CPA30QD |
|--------|---------|---------|---------|---------|---------|
| Size   | ø 1,2   | ø 1,5   | ø 1,8   | ø 2,2   | ø 3,0   |
| 9 Kt   | 4,09    | 6,57    | 8,51    | 15,26   | 23,51   |
| 10 Kt  | 4,41    | 7,10    | 9,19    | 16,48   | 25,39   |
| 14 Kt  | 4,95    | 7,95    | 10,30   | 18,47   | 28,45   |
| 18 Kt  | 5,53    | 8,89    | 11,51   | 20,64   | 31,80   |
| 21 Kt  | 5,97    | 9,60    | 12,43   | 22,29   | 34,34   |
| 22 Kt  | 6,02    | 9,68    | 12,53   | 22,47   | 34,61   |
| AG 925 | 3,79    | 6,09    | 7,88    | 14,14   | 21,85   |



LONG TUBE  
BEAD CHAIN

| Cod      | CPA40 | CPA50 | CPA60 | CPA80  | CPA100 |
|----------|-------|-------|-------|--------|--------|
| Size     | ø 4,0 | ø 5,0 | ø 6,0 | ø 8,0  | ø 10,0 |
| Distance | 1,6   | 2,00  | 2,32  | 3,30   | 4,45   |
| 9 Kt     | 36,08 | 39,29 | 54,60 | 90,20  | 117,50 |
| 10 Kt    | 38,96 | 42,42 | 58,95 | 97,39  | 126,86 |
| 14 Kt    | 43,66 | 47,54 | 66,07 | 109,15 | 142,18 |
| 18 Kt    | 48,80 | 53,14 | 73,84 | 122,00 | 158,92 |
| 21 Kt    | 52,71 | 57,39 | 79,75 | 131,77 | 171,64 |
| 22 Kt    | 53,12 | 57,84 | 80,38 | 132,80 | 172,99 |
| AG 925   | 30,40 | 33,10 | 46,00 | 76,00  | 99,00  |



SHORT TUBE  
BEAD CHAIN

| Cod      | CPA60S | CPA80S | CPA100S |
|----------|--------|--------|---------|
| Size     | ø 6,0  | ø 8,0  | ø 10,0  |
| Distance | 0,60   | 1,20   | 1,50    |
| 9 Kt     | 66,47  | 110,38 | 144,80  |
| 10 Kt    | 71,76  | 119,18 | 156,34  |
| 14 Kt    | 80,43  | 133,57 | 175,22  |
| 18 Kt    | 89,90  | 149,29 | 195,85  |
| 21 Kt    | 97,09  | 161,24 | 211,52  |
| 22 Kt    | 97,85  | 162,50 | 213,17  |
| AG 925   | 56,00  | 93,00  | 122,00  |



Weights shown in grams/meter are purely indicative and may vary.

LARGE SIZE  
ROSARY CHAIN


| Cod    |                           | CRP5031            | CRP6031            |
|--------|---------------------------|--------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 2,5<br>ø 5,0<br>31 | 2,5<br>ø 6,0<br>31 |
| 9 Kt   |                           | 26,30              | 29,32              |
| 10 Kt  |                           | 28,40              | 31,65              |
| 14 Kt  |                           | 31,80              | 35,47              |
| 18 Kt  |                           | 35,60              | 39,65              |
| 21 Kt  |                           | 38,50              | 42,82              |
| 22 Kt  |                           | 38,80              | 43,16              |
| AG 925 |                           | 22,20              | 24,70              |



D/CUT  
LARGE SIZE  
ROSARY CHAIN

| Cod    |                           | CRPD5031         | CRPD6031         |
|--------|---------------------------|------------------|------------------|
| Size   | Chain<br>Bead<br>Distance | 2,5<br>ø 5<br>31 | 2,5<br>ø 6<br>31 |
| 9 Kt   |                           | 23,50            | 26,11            |
| 10 Kt  |                           | 25,30            | 28,19            |
| 14 Kt  |                           | 28,40            | 31,60            |
| 18 Kt  |                           | 31,70            | 35,32            |
| 21 Kt  |                           | 34,30            | 38,14            |
| 22 Kt  |                           | 34,50            | 38,44            |
| AG 925 |                           | 19,80            | 22,00            |





ROSARY  
CHAINS

ROSARY  
CHAIN  
1+1

| Cod    |                           | CRP2015          | CRP2515            |
|--------|---------------------------|------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1<br>ø 2,0<br>15 | 1,2<br>ø 2,5<br>15 |
| 9 Kt   |                           | 4,66             | 7,41               |
| 10 Kt  |                           | 5,03             | 8,00               |
| 14 Kt  |                           | 5,64             | 8,96               |
| 18 Kt  |                           | 6,30             | 10,02              |
| 21 Kt  |                           | 6,80             | 10,82              |
| 22 Kt  |                           | 6,86             | 10,90              |
| AG 925 |                           | 3,93             | 6,24               |



ROSARY  
CHAIN  
10+1

| Cod    |                           | CRSP2018         | CRSP2518           |
|--------|---------------------------|------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1<br>ø 2,0<br>18 | 1,2<br>ø 2,5<br>18 |
| 9 Kt   |                           | 6,26             | 8,58               |
| 10 Kt  |                           | 6,75             | 9,26               |
| 14 Kt  |                           | 7,57             | 10,38              |
| 18 Kt  |                           | 8,46             | 11,61              |
| 21 Kt  |                           | 9,14             | 12,53              |
| 22 Kt  |                           | 9,21             | 12,63              |
| AG 925 |                           | 5,27             | 7,23               |



ROSARY  
CHAIN  
3+1

| Cod    |                           | CRTP2018         | CRTP2518           |
|--------|---------------------------|------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1<br>ø 2,0<br>18 | 1,2<br>ø 2,5<br>18 |
| 9 Kt   |                           | 4,99             | 6,84               |
| 10 Kt  |                           | 5,38             | 7,38               |
| 14 Kt  |                           | 6,03             | 8,28               |
| 18 Kt  |                           | 6,74             | 9,25               |
| 21 Kt  |                           | 7,28             | 9,99               |
| 22 Kt  |                           | 7,34             | 10,07              |
| AG 925 |                           | 4,20             | 5,76               |



D/CUT  
ROSARY  
CHAIN 1+1

| Cod    |                           | CRPD2015         | CRPD2515           |
|--------|---------------------------|------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1<br>ø 2,0<br>15 | 1,2<br>ø 2,5<br>15 |
| 9 Kt   |                           | 7,53             | 10,33              |
| 10 Kt  |                           | 8,13             | 11,15              |
| 14 Kt  |                           | 9,11             | 12,50              |
| 18 Kt  |                           | 10,18            | 13,97              |
| 21 Kt  |                           | 11,00            | 15,08              |
| 22 Kt  |                           | 11,08            | 15,20              |
| AG 925 |                           | 6,34             | 8,70               |



D/CUT  
ROSARY  
CHAIN 10+1

| Cod    |                           | CRSPD2018          | CRSPD2518          |
|--------|---------------------------|--------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1,0<br>ø 2,0<br>18 | 1,2<br>ø 2,5<br>18 |
| 9 Kt   |                           | 5,47               | 7,50               |
| 10 Kt  |                           | 5,91               | 8,10               |
| 14 Kt  |                           | 6,62               | 9,08               |
| 18 Kt  |                           | 7,40               | 10,15              |
| 21 Kt  |                           | 7,99               | 10,96              |
| 22 Kt  |                           | 8,05               | 11,05              |
| AG 925 |                           | 4,61               | 6,32               |




D/CUT  
ROSARY  
CHAIN 3+1

| Cod    |                           | CRTPD2018          | CRTPD2518          |
|--------|---------------------------|--------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1,0<br>ø 2,0<br>18 | 1,2<br>ø 2,5<br>18 |
| 9 Kt   |                           | 5,47               | 6,14               |
| 10 Kt  |                           | 5,91               | 6,63               |
| 14 Kt  |                           | 6,62               | 7,44               |
| 18 Kt  |                           | 7,40               | 8,31               |
| 21 Kt  |                           | 7,99               | 8,97               |
| 22 Kt  |                           | 8,05               | 9,05               |
| AG 925 |                           | 4,61               | 5,18               |








SATELLITE  
CHAINS

SATELLITE  
BEAD CHAIN

| Cod    |          | SATCPA1201 | SATCPA1202 | SATCPA1203 | SATCPA1204 |
|--------|----------|------------|------------|------------|------------|
| Size   | Chain    | 1,2        | 1,2        | 1,2        | 1,2        |
|        | Bead     | ø 2,5      | ø 2,5      | ø 2,5      | ø 2,5      |
|        | Distance | 1          | 2          | 3          | 4          |
| 14 Kt  |          | 18,40      | 17,20      | 15,50      | 14,20      |
| 18 Kt  |          | 20,50      | 19,30      | 17,30      | 15,90      |
| AG 925 |          | 12,80      | 12,00      | 10,80      | 9,90       |

| Cod    |          | SATCPA1501 | SATCPA1502 | SATCPA1503 | SATCPA1504 |
|--------|----------|------------|------------|------------|------------|
| Size   | Chain    | 1,5        | 1,5        | 1,5        | 1,5        |
|        | Bead     | ø 3        | ø 3        | ø 3        | ø 3        |
|        | Distance | 1          | 2          | 3          | 4          |
| 14 Kt  |          | 28,00      | 21,50      | 19,40      | 16,50      |
| 18 Kt  |          | 31,30      | 24,10      | 21,70      | 18,50      |
| AG 925 |          | 19,50      | 15,00      | 13,50      | 11,50      |



Weights shown in grams for single element are purely indicative and may vary.

D/CUT  
SATELLITE  
BEAD CHAIN

| Cod    |                           | SATCPA12D01       | SATCPA12D02       | SATCPA12D03       | SATCPA12D04       |
|--------|---------------------------|-------------------|-------------------|-------------------|-------------------|
| Size   | Chain<br>Bead<br>Distance | 1,2<br>ø 2,5<br>1 | 1,2<br>ø 2,5<br>2 | 1,2<br>ø 2,5<br>3 | 1,2<br>ø 2,5<br>4 |
| 14 Kt  |                           | 18,00             | 16,80             | 15,10             | 13,60             |
| 18 Kt  |                           | 20,10             | 18,80             | 16,90             | 15,30             |
| AG 925 |                           | 12,50             | 11,70             | 10,50             | 9,50              |

| Cod    |                           | SATCPA15D01     | SATCPA15D02     | SATCPA15D03     | SATCPA15D04     |
|--------|---------------------------|-----------------|-----------------|-----------------|-----------------|
| Size   | Chain<br>Bead<br>Distance | 1,5<br>ø 3<br>1 | 1,5<br>ø 3<br>2 | 1,5<br>ø 3<br>3 | 1,5<br>ø 3<br>4 |
| 14 Kt  |                           | 27,30           | 20,80           | 18,70           | 15,80           |
| 18 Kt  |                           | 30,50           | 23,30           | 20,90           | 17,70           |
| AG 925 |                           | 19,00           | 14,50           | 13,00           | 11,00           |



Weights shown in grams/meter are purely indicative and may vary.

D/CUT  
ALTERNATED  
SATELLITE  
BEAD CHAIN AL

| Cod    |                 | SATCPA12D04 AL  | SATCPA15D04 AL  |
|--------|-----------------|-----------------|-----------------|
| Size   | Chain Bead Step | 1,2<br>2+3<br>4 | 1,5<br>3+4<br>4 |
| 14 Kt  |                 | 13,44           | 22,33           |
| 18 Kt  |                 | 14,96           | 24,86           |
| AG 925 |                 | 9,31            | 15,47           |



D/CUT  
UP & DOWN  
SATELLITE  
BEAD CHAIN UD

| Cod    |                 | SATCPA12D04 UD      | SATCPA15D04 UD    |
|--------|-----------------|---------------------|-------------------|
| Size   | Chain Bead Step | 1,2<br>2+2,5+3<br>4 | 1,5<br>2+3+4<br>4 |
| 14 Kt  |                 | 13,4                | 18,66             |
| 18 Kt  |                 | 14,91               | 20,78             |
| AG 925 |                 | 9,28                | 12,93             |



D/CUT  
SATELLITE  
TWISTED  
SQUAMA CHAIN  
SPIRAL S

| Cod    |                           | SATCSQRS14D       | SATCSQRS18D       | SATCSQRS30D       |
|--------|---------------------------|-------------------|-------------------|-------------------|
| Size   | Chain<br>Bead<br>Distance | 1,4<br>ø 2,0<br>1 | 1,8<br>ø 2,5<br>1 | 3,0<br>ø 3,0<br>1 |
| 14 Kt  |                           | 13,95             | 21,83             | 51,42             |
| 18 Kt  |                           | 15,60             | 24,40             | 57,46             |
| AG 925 |                           | 10,69             | 15,20             | 35,80             |




D/CUT  
SATELLITE  
TWISTED  
SQUAMA CHAIN  
FLAT. F

| Cod    |                           | SATCSQRF14D       | SATCSQRF18D       | SATCSQRF30D       |
|--------|---------------------------|-------------------|-------------------|-------------------|
| Size   | Chain<br>Bead<br>Distance | 1,4<br>ø 2,0<br>1 | 1,8<br>ø 2,5<br>1 | 3,0<br>ø 3,0<br>1 |
| 14 Kt  |                           | 13,95             | 21,83             | 51,42             |
| 18 Kt  |                           | 15,60             | 24,40             | 57,46             |
| AG 925 |                           | 10,69             | 15,20             | 35,80             |







FANCY  
CHAINS

FLOWER  
BEAD CHAIN

| Cod    | CPA12 FW | CPA15 FW | CPA18 FW |
|--------|----------|----------|----------|
| Size   | ø 1,2    | ø 1,5    | ø 1,8    |
| 14 Kt  | 13,56    | 22,33    | 31,11    |
| 18 Kt  | 15,15    | 24,96    | 34,77    |
| AG 925 |          | 15,55    | 21,66    |



D/CUT  
FLOWER  
BEAD CHAIN

| Cod    | CPA12D FW | CPA15D FW | CPA18D FW |
|--------|-----------|-----------|-----------|
| Size   | ø 1,2     | ø 1,5     | ø 1,8     |
| 14 Kt  | 12,75     | 19,93     | 27,13     |
| 18 Kt  | 13,32     | 20,82     | 29,12     |
| AG 925 |           | 13,88     | 18,89     |



XX  
FLOWER  
BEAD CHAIN

| Cod    | CPA12 FX | CPA15 FX | CPA18 FX |
|--------|----------|----------|----------|
| Size   | ø 1,2    | ø 1,5    | ø 1,8    |
| 14 Kt  | 13,56    | 22,33    | 31,11    |
| 18 Kt  | 15,15    | 24,96    | 34,77    |
| AG 925 |          | 15,55    | 21,66    |



D/CUT XX  
FLOWER  
BEAD CHAIN

| Cod    | CPA12D FX | CPA15D FX | CPA18D FX |
|--------|-----------|-----------|-----------|
| Size   | ø 1,2     | ø 1,5     | ø 1,8     |
| 14 Kt  | 12,75     | 19,93     | 27,13     |
| 18 Kt  | 13,32     | 20,82     | 29,12     |
| AG 925 |           | 13,88     | 18,89     |



3 LINES D/CUT  
BEAD CHAIN

| Cod    | CPA22D 3L | CPA30D 3L | CPA40D 3L | CPA50D 3L | CPA60D 3L |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | ø 2,2     | ø 3,0     | ø 4,0     | ø 5,0     | ø 6,0     |
| 14 Kt  | 11,57     | 27,29     | 45,27     | 59,6      | 67,79     |
| 18 Kt  | 12,93     | 35,73     | 50,60     | 66,62     | 75,74     |
| AG 925 | 11,90     | 22,26     | 35,60     | 41,5      | 47,18     |



SMILE  
D/CUT  
BEAD CHAIN

| Cod    | CPA22D SO | CPA30D SO | CPA40D SO | CPA50D SO | CPA60D SO |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | ø 2,2     | ø 3,0     | ø 4,0     | ø 5,0     | ø 6,0     |
| 14 Kt  | 11,57     | 27,29     | 45,27     | 59,6      | 67,79     |
| 18 Kt  | 12,93     | 35,73     | 50,60     | 66,62     | 75,74     |
| AG 925 | 11,90     | 22,26     | 35,60     | 41,5      | 47,18     |



3 FACE  
D/CUT  
BEAD CHAIN

| Cod    | CPA22D 3F | CPA30D 3F | CPA40D 3F | CPA50D 3F | CPA60D 3F |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | ø 2,2     | ø 3,0     | ø 4,0     | ø 5,0     | ø 6,0     |
| 14 Kt  | 11,57     | 27,29     | 45,27     | 59,6      | 67,79     |
| 18 Kt  | 12,93     | 35,73     | 50,60     | 66,62     | 75,74     |
| AG 925 | 11,90     | 22,26     | 35,60     | 41,5      | 47,18     |



FISHBONE  
D/CUT  
BEAD CHAIN

| Cod    | CPA22D LI | CPA30D LI | CPA40D LI | CPA50D LI | CPA60D LI |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | ø 2,2     | ø 3,0     | ø 4,0     | ø 5,0     | ø 6,0     |
| 14 Kt  | 11,57     | 27,29     | 45,27     | 59,6      | 67,79     |
| 18 Kt  | 12,93     | 35,73     | 50,60     | 66,62     | 75,74     |
| AG 925 | 11,90     | 22,26     | 35,60     | 41,5      | 47,18     |




DOUBLE X  
D/CUT  
BEAD CHAIN

| Cod    | CPA22D XX | CPA30D XX | CPA40D XX | CPA50D XX | CPA60D XX |
|--------|-----------|-----------|-----------|-----------|-----------|
| Size   | ø 2,2     | ø 3,0     | ø 4,0     | ø 5,0     | ø 6,0     |
| 14 Kt  | 11,57     | 27,29     | 45,27     | 59,6      | 67,79     |
| 18 Kt  | 12,93     | 35,73     | 50,60     | 66,62     | 75,74     |
| AG 925 | 11,90     | 22,26     | 35,60     | 41,5      | 47,18     |





FANCY CHAINS



ELASTIC  
BEAD CHAINS

ELASTIC BEAD  
CHAIN

| Cod    | CPE25 | CPE30 | CPE40 | CPE60 | CPE80  |
|--------|-------|-------|-------|-------|--------|
| Size   | ø 2,5 | ø 3,0 | ø 4,0 | ø 6,0 | ø 8,0  |
| 14 Kt  | 32,54 | 35,71 | 57,95 | 85,92 | 140,17 |
| 18 Kt  | 36,36 | 39,90 | 64,75 | 96,00 | 156,61 |
| AG 925 | 22,65 | 24,86 | 44,65 | 59,80 | 97,56  |



8 SIDE D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    | CPE25D | CPE30D | CPE40D | CPE60D |
|--------|--------|--------|--------|--------|
| Size   | ø 2,5  | ø 3,0  | ø 4,0  | ø 6,0  |
| 14 Kt  | 25,81  | 33,07  | 48,81  | 70,86  |
| 18 Kt  | 28,85  | 36,96  | 54,56  | 79,20  |
| AG 925 | 19,36  | 27,72  | 40,59  | 57,51  |



SQUARE SHAPE  
D/CUT  
ELASTIC  
BEAD CHAIN

| Cod          | CPE30QD |
|--------------|---------|
| Size    Bead | ø 3,0   |
| 14 Kt        | 39,71   |
| 18 Kt        | 44,37   |
| AG 925       | 27,64   |



3 LINE D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    | CPE30D 3L | CPE40D 3L | CPE60D 3L |
|--------|-----------|-----------|-----------|
| Size   | ø 3,0     | ø 4,0     | ø 6,0     |
| 14 Kt  | 39,71     | 49,97     | 76,71     |
| 18 Kt  | 44,37     | 55,83     | 85,71     |
| AG 925 | 27,64     | 39,70     | 53,39     |



SMILE D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    | CPE30D SO | CPE40D SO | CPE60D SO |
|--------|-----------|-----------|-----------|
| Size   | ø 3,0     | ø 4,0     | ø 6,0     |
| 14 Kt  | 39,71     | 49,97     | 76,71     |
| 18 Kt  | 44,37     | 55,83     | 85,71     |
| AG 925 | 27,64     | 39,70     | 53,39     |



XX D/CUT  
ELASTIC  
BEAD CHAIN

| Cod          | CPE30D XX | CPE40D XX | CPE60D XX |
|--------------|-----------|-----------|-----------|
| Size    Bead | ø 3,0     | ø 4,0     | ø 6,0     |
| 14 Kt        | 39,71     | 49,97     | 76,71     |
| 18 Kt        | 44,37     | 55,83     | 85,71     |
| AG 925       | 27,64     | 39,70     | 53,39     |



Patented items  
Weights shown in grams/meter are purely indicative and may vary.

3 FACE D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    | CPE30D 3F | CPE40D 3F | CPE60D 3F |
|--------|-----------|-----------|-----------|
| Size   | ø 3,0     | ø 4,0     | ø 6,0     |
| 14 Kt  | 39,71     | 49,97     | 76,71     |
| 18 Kt  | 44,37     | 55,83     | 85,71     |
| AG 925 | 27,64     | 39,70     | 53,39     |



FISHBONE D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    | CPE30D LI | CPE40D LI | CPE60D LI |
|--------|-----------|-----------|-----------|
| Size   | ø 3,0     | ø 4,0     | ø 6,0     |
| 14 Kt  | 39,71     | 49,97     | 76,71     |
| 18 Kt  | 44,37     | 55,83     | 85,71     |
| AG 925 | 27,64     | 39,70     | 53,39     |



ROSARY  
ELASTIC  
BEAD CHAIN

| Cod    |                           | CRE5031              | CRE6031              |
|--------|---------------------------|----------------------|----------------------|
| Size   | Chain<br>Bead<br>Distance | 2,5<br>ø 5,0<br>31,0 | 2,5<br>ø 6,0<br>31,0 |
| 14 Kt  |                           | 38,90                | 43,37                |
| 18 Kt  |                           | 43,60                | 48,48                |
| AG 925 |                           | 27,20                | 30,20                |



D/CUT ROSARY  
ELASTIC BEAD  
CHAIN

| Cod    |                           | CRED5031             | CRED6031             |
|--------|---------------------------|----------------------|----------------------|
| Size   | Chain<br>Bead<br>Distance | 2,5<br>ø 5,0<br>31,0 | 2,5<br>ø 6,0<br>31,0 |
| 14 Kt  |                           | 33,80                | 37,63                |
| 18 Kt  |                           | 37,80                | 42,06                |
| AG 925 |                           | 23,50                | 26,20                |



2 TONES D/CUT  
ELASTIC BEAD  
CHAIN

| Cod    |      | CPE30D 1L | CPE40D 1L | CPE60D 1L |
|--------|------|-----------|-----------|-----------|
| Size   | Bead | ø 3,0     | ø 4,0     | ø 6,0     |
| AG 925 |      | 27,64     | 39,70     | 53,39     |



FINISHED  
ELASTIC  
BEAD CHAIN

| Cod    |               | CPE25 FIN      | CPE30 FIN      | CPE40 FIN      | CPE60 FIN      | CPE80 FIN    |
|--------|---------------|----------------|----------------|----------------|----------------|--------------|
| Size   | Bead Distance | ø 2,5<br>18 cm | ø 3,0<br>18 cm | ø 4,0<br>18 cm | ø 6,0<br>18 cm | ø 8<br>18 cm |
| 14 Kt  |               | 5,86           | 6,42           | 10,43          | 15,46          | 25,20        |
| 18 Kt  |               | 6,50           | 7,20           | 11,70          | 17,28          | 28,65        |
| AG 925 |               | 4,07           | 4,57           | 8,03           | 10,76          | 17,65        |



Weights shown in grams/meter are purely indicative and may vary.

D/CUT  
FINISHED  
ELASTIC  
BEAD CHAIN

| Cod    |               | CPE25D FIN     | CPE30D FIN     | CPE40D FIN     | CPE60D FIN     |
|--------|---------------|----------------|----------------|----------------|----------------|
| Size   | Bead Distance | ø 2,5<br>18 cm | ø 3,0<br>18 cm | ø 4,0<br>18 cm | ø 6,0<br>18 cm |
| 14 Kt  |               | 4,65           | 5,95           | 8,80           | 14,25          |
| 18 Kt  |               | 5,10           | 6,60           | 9,90           | 12,75          |
| AG 925 |               | 3,48           | 4,98           | 7,30           | 10,35          |



ELASTIC BEAD CHAINS


**D/CUT  
3 LINES  
FINISHED  
ELASTIC  
BEAD CHAIN**

| <b>Cod</b>  |                    | <b>CPE30D 3L FIN</b>   | <b>CPE40D 3L FIN</b>   | <b>CPE60D 3L FIN</b>   |
|-------------|--------------------|------------------------|------------------------|------------------------|
| <b>Size</b> | <b>Bead Length</b> | <b>ø 3,0<br/>18 cm</b> | <b>ø 4,0<br/>18 cm</b> | <b>ø 6,0<br/>18 cm</b> |
| 14 Kt       |                    | 7,10                   | 9,00                   | 13,80                  |
| 18 Kt       |                    | 7,80                   | 10,80                  | 15,10                  |
| AG 925      |                    | 4,97                   | 7,14                   | 9,61                   |



Weights shown in grams/meter are purely indicative and may vary.





KOREAN  
CHAINS

KOREAN  
CHAIN

| Cod    | COR12 | COR15 |
|--------|-------|-------|
| Size   | ø 1,2 | ø 1,5 |
| 9 Kt   | 4,10  | 5,43  |
| 10 Kt  | 4,42  | 5,86  |
| 14 Kt  | 4,96  | 6,57  |
| 18 Kt  | 5,54  | 7,34  |
| 21 Kt  | 5,98  | 7,93  |
| 22 Kt  | 6,03  | 7,99  |
| AG 925 | 3,81  | 5,03  |



POPCORN  
CHAIN

| Cod    | CORB13 | CORB16 | CORB18 | CORB20 | CORB25 | CORB30 |
|--------|--------|--------|--------|--------|--------|--------|
| Size   | ø 1,3  | ø 1,6  | ø 1,8  | ø 2,0  | ø 2,5  | ø 3,0  |
| 9 Kt   | 4,37   | 5,65   | 5,91   | 7,27   | 9,20   | 12,44  |
| 10 Kt  | 4,72   | 6,10   | 6,38   | 7,85   | 9,93   | 13,43  |
| 14 Kt  | 5,29   | 6,84   | 7,15   | 8,81   | 11,13  | 15,06  |
| 18 Kt  | 5,91   | 7,64   | 7,99   | 9,84   | 12,44  | 16,83  |
| 21 Kt  | 6,38   | 8,25   | 8,63   | 10,63  | 13,44  | 18,18  |
| 22 Kt  | 6,43   | 8,31   | 8,70   | 10,71  | 13,54  | 18,32  |
| AG 925 | 3,68   | 4,76   | 5,47   | 6,13   | 8,52   | 11,53  |



D/CUT KOREAN  
CHAIN

| Cod    | COR12D | COR15D |
|--------|--------|--------|
| Size   | ø 1,2  | ø 1,5  |
| 9 Kt   | 3,57   | 4,68   |
| 10 Kt  | 3,86   | 5,05   |
| 14 Kt  | 4,32   | 5,66   |
| 18 Kt  | 4,83   | 6,33   |
| 21 Kt  | 5,22   | 6,84   |
| 22 Kt  | 5,26   | 6,89   |
| AG 925 | 3,31   | 4,34   |



D/CUT  
POPCORN CHAIN

| Cod    | CORB13D | CORB16D | CORB18D | CORB20D | CORB25D | CORB30D |
|--------|---------|---------|---------|---------|---------|---------|
| Size   | ø 1,3   | ø 1,6   | ø 1,8   | ø 2,0   | ø 2,5   | ø 3,0   |
| 9 Kt   | 3,64    | 5,17    | 5,27    | 6,70    | 8,83    | 10,57   |
| 10 Kt  | 3,93    | 5,58    | 5,69    | 7,24    | 9,53    | 11,41   |
| 14 Kt  | 4,41    | 6,13    | 6,38    | 8,12    | 10,68   | 12,78   |
| 18 Kt  | 4,93    | 6,99    | 7,13    | 9,07    | 11,94   | 14,29   |
| 21 Kt  | 5,32    | 7,55    | 7,70    | 9,80    | 12,90   | 15,43   |
| 22 Kt  | 5,36    | 7,61    | 7,76    | 9,87    | 13,00   | 15,55   |
| AG 925 | 3,07    | 4,35    | 4,89    | 5,65    | 8,18    | 9,79    |



FLAT  
KOREAN CHAIN

| Cod    | CORP12 | CORP14 | CORP16 | CORP18 |
|--------|--------|--------|--------|--------|
| Size   | ø 1,2  | ø 1,4  | ø 1,6  | ø 1,8  |
| 9 Kt   | 3,71   | 5,54   | 5,87   | 6,32   |
| 10 Kt  | 4,01   | 5,99   | 6,34   | 6,83   |
| 14 Kt  | 4,49   | 6,71   | 7,10   | 7,65   |
| 18 Kt  | 5,02   | 7,50   | 7,94   | 8,55   |
| 21 Kt  | 5,42   | 8,10   | 8,58   | 9,23   |
| 22 Kt  | 5,46   | 8,16   | 8,64   | 9,31   |
| AG 925 | 3,44   | 4,67   | 5,44   | 5,86   |



FLEXIBLE  
POPCORN CHAIN

| Cod    | CORB26F | CORB30F | CORB36F | CORB46F |
|--------|---------|---------|---------|---------|
| Size   | ø 2,6   | ø 3,0   | ø 3,6   | ø 4,6   |
| 9 Kt   | 10,06   | 14,99   | 22,04   | 31,87   |
| 10 Kt  | 10,86   | 16,04   | 23,80   | 34,41   |
| 14 Kt  | 12,17   | 17,98   | 26,67   | 38,56   |
| 18 Kt  | 13,60   | 20,10   | 29,81   | 43,10   |
| 21 Kt  | 14,69   | 21,71   | 32,20   | 46,55   |
| 22 Kt  | 14,80   | 21,88   | 32,45   | 46,92   |
| AG 925 | 9,95    | 14,67   | 18,57   | 26,85   |



DRILLED  
POPCORN CHAIN

| Cod    |           | CORB26FL       | CORB30FL       | CORB36FL       | CORB46FL       |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 2,6<br>ø 0,8 | ø 3,0<br>ø 1,2 | ø 3,6<br>ø 1,2 | ø 4,6<br>ø 1,7 |
| 9 Kt   |           | 9,80           | 13,87          | 21,48          | 27,71          |
| 10 Kt  |           | 10,58          | 14,85          | 23,19          | 29,92          |
| 14 Kt  |           | 11,85          | 16,64          | 25,99          | 33,54          |
| 18 Kt  |           | 13,25          | 18,60          | 29,05          | 37,48          |
| 21 Kt  |           | 14,31          | 20,09          | 31,37          | 40,48          |
| 22 Kt  |           | 14,42          | 20,25          | 31,62          | 40,80          |
| AG 925 |           | 8,25           | 13,58          | 16,06          | 23,35          |



D/CUT  
FLEXIBLE  
POPCORN CHAIN


| Cod    | CORB26FD | CORB30FD | CORB36FD | CORB46FD |
|--------|----------|----------|----------|----------|
| Size   | ø 2,6    | ø 3,0    | ø 3,6    | ø 4,6    |
| 9 Kt   | 9,52     | 13,57    | 18,53    | 26,11    |
| 10 Kt  | 10,27    | 14,53    | 20,00    | 28,20    |
| 14 Kt  | 11,51    | 16,28    | 22,42    | 31,62    |
| 18 Kt  | 12,87    | 18,20    | 25,06    | 35,33    |
| 21 Kt  | 13,90    | 19,66    | 27,07    | 38,16    |
| 22 Kt  | 14,01    | 19,81    | 27,28    | 38,44    |
| AG 925 | 9,35     | 13,28    | 15,61    | 22,01    |



D/CUT  
DRILLED  
POPCORN CHAIN

| Cod    |           | CORB26FLD      | CORB30FLD      | CORB36FLD      | CORB46FLD      |
|--------|-----------|----------------|----------------|----------------|----------------|
| Size   | Ext. Hole | ø 2,6<br>ø 0,8 | ø 3,0<br>ø 1,2 | ø 3,6<br>ø 1,2 | ø 4,6<br>ø 1,7 |
| 9 Kt   |           | 8,58           | 12,23          | 18,82          | 24,58          |
| 10 Kt  |           | 9,27           | 13,09          | 20,32          | 26,54          |
| 14 Kt  |           | 10,39          | 14,67          | 22,77          | 29,77          |
| 18 Kt  |           | 11,61          | 16,40          | 25,45          | 33,26          |
| 21 Kt  |           | 12,54          | 17,71          | 27,49          | 35,92          |
| 22 Kt  |           | 12,64          | 17,85          | 27,70          | 36,19          |
| AG 925 |           | 7,23           | 11,97          | 14,25          | 20,72          |





HOLLOW  
CHAINS

HOLLOW CHAIN  
WITH DESIGN

| Cod    | CORV58A | CORV68A | CORV78A | CORV98A |
|--------|---------|---------|---------|---------|
| Size   | ø 5,8   | ø 6,8   | ø 7,8   | ø 9,8   |
| 9 Kt   | 38,45   | 41,40   | 49,54   | 68,76   |
| 10 Kt  | 41,51   | 44,70   | 53,48   | 74,24   |
| 14 Kt  | 46,52   | 50,10   | 59,94   | 83,20   |
| 18 Kt  | 52,00   | 56,00   | 67,00   | 93,00   |
| 21 Kt  | 56,16   | 60,48   | 72,36   | 100,44  |
| AG 925 | 33,40   | 49,60   | 60,80   | 73,10   |



COMPACT  
HOLLOW CHAIN

| Cod    | CORV58B | CORV68B | CORV78B | CORV98B |
|--------|---------|---------|---------|---------|
| Size   | ø 5,8   | ø 6,8   | ø 7,8   | ø 9,8   |
| 9 Kt   | 38,45   | 41,40   | 49,54   | 68,76   |
| 10 Kt  | 41,51   | 44,70   | 53,48   | 74,24   |
| 14 Kt  | 46,52   | 50,10   | 59,94   | 83,20   |
| 18 Kt  | 52,00   | 56,00   | 67,00   | 93,00   |
| 21 Kt  | 56,16   | 60,48   | 72,36   | 100,44  |
| AG 925 | 33,40   | 49,60   | 60,80   | 73,10   |



OPEN LINK  
HOLLOW CHAIN

| Cod    | CORV58C | CORV68C | CORV78C | CORV98C |
|--------|---------|---------|---------|---------|
| Size   | ø 5,8   | ø 6,8   | ø 7,8   | ø 9,8   |
| 9 Kt   | 38,45   | 41,40   | 49,54   | 68,76   |
| 10 Kt  | 41,51   | 44,70   | 53,48   | 74,24   |
| 14 Kt  | 46,52   | 50,10   | 59,94   | 83,20   |
| 18 Kt  | 52,00   | 56,00   | 67,00   | 93,00   |
| 21 Kt  | 56,16   | 60,48   | 72,36   | 100,44  |
| AG 925 | 33,40   | 49,60   | 60,80   | 73,10   |



TO  
ROUND



MT  
HALF ROUND




OV  
OVAL



PI  
FLAT



HOLLOW CHAINS



TULIP  
CHAINS

TULIP CHAIN


| Cod    | TUB20   | TUB30   | TUB40   |
|--------|---------|---------|---------|
| Size   | 2,0x1,3 | 3,0x2,0 | 4,0x2,5 |
| 14 Kt  | 7,20    | 18,35   | 23,91   |
| 18 Kt  | 8,04    | 20,50   | 26,71   |
| AG 925 | 5,01    | 12,77   | 16,64   |



FLAT TULIP CHAIN

| Cod    | TUL20   | TUL30   | TUL40   |
|--------|---------|---------|---------|
| Size   | 2,0x1,2 | 3,0x1,8 | 4,0x2,4 |
| 14 Kt  | 9,54    | 17,24   | 22,83   |
| 18 Kt  | 10,66   | 19,26   | 25,51   |
| AG 925 | 6,64    | 12,00   | 15,89   |





CUBE  
CHAINS

CUBE CHAIN


| Cod    | CUB14 | CUB16 | CUB20 |
|--------|-------|-------|-------|
| Size   | ø 1,4 | ø 1,6 | ø 2,0 |
| 14 Kt  | 10,60 | 11,40 | 14,40 |
| 18 Kt  | 11,84 | 12,74 | 16,11 |
| AG 925 | 6,14  | 9,10  | 11,03 |



D/CUT  
CUBE CHAIN

| Cod    | CUB14D | CUB16D | CUB20D |
|--------|--------|--------|--------|
| Size   | ø 1,4  | ø 1,6  | ø 2,0  |
| 14 Kt  | 9,01   | 10,59  | 12,21  |
| 18 Kt  | 10,07  | 11,84  | 13,65  |
| AG 925 | 5,84   | 8,11   | 8,53   |





SNAKE  
CHAINS

SNAKE CHAIN

| Cod    | CCT08P | CCT10 | CCT10P | CCT12 | CCT14 |
|--------|--------|-------|--------|-------|-------|
| Size   | ø 0,8  | ø 1,0 | ø 1,0  | ø 1,2 | ø 1,4 |
| 9 Kt   | 3,62   | 3,92  | 6,02   | 6,29  | 8,24  |
| 10 Kt  | 3,91   | 4,23  | 6,50   | 6,79  | 9,35  |
| 14 Kt  | 4,38   | 4,74  | 7,28   | 7,61  | 10,49 |
| 18 Kt  | 4,90   | 5,30  | 8,14   | 8,51  | 11,72 |
| 21 Kt  | 5,29   | 5,72  | 8,79   | 9,19  | 12,66 |
| 22 Kt  | 5,33   | 5,77  | 8,86   | 9,26  | 12,75 |
| AG 925 |        |       | 5,07   | 5,30  | 7,30  |

| Cod    | CCT16 | CCT19 | CCT24 | CCT30 |
|--------|-------|-------|-------|-------|
| Size   | ø 1,6 | ø 1,9 | ø 2,4 | ø 3,0 |
| 9 Kt   | 10,57 | 15,14 | 23,85 | 34,23 |
| 10 Kt  | 11,41 | 16,35 | 25,75 | 36,95 |
| 14 Kt  | 12,80 | 18,32 | 28,86 | 41,41 |
| 18 Kt  | 14,30 | 20,48 | 32,26 | 46,29 |
| 21 Kt  | 15,44 | 22,12 | 34,84 | 49,99 |
| 22 Kt  | 15,56 | 22,29 | 35,11 | 50,39 |
| AG 925 | 9,87  | 14,03 | 22,11 | 31,71 |



D/CUT  
 SNAKE CHAIN

| Cod    | CCT08PD | CCT10D | CCT10PD | CCT12D | CCT14D |
|--------|---------|--------|---------|--------|--------|
| Size   | ø 0,8   | ø 1,0  | ø 1,0   | ø 1,2  | ø 1,4  |
| 9 Kt   | 3,36    | 3,55   | 4,68    | 5,02   | 7,92   |
| 10 Kt  | 3,63    | 3,83   | 5,05    | 5,42   | 8,55   |
| 14 Kt  | 4,07    | 4,29   | 5,66    | 6,08   | 9,58   |
| 18 Kt  | 4,55    | 4,80   | 6,32    | 6,79   | 10,71  |
| 21 Kt  | 4,91    | 5,18   | 6,83    | 7,33   | 11,57  |
| 22 Kt  | 4,95    | 5,22   | 6,88    | 7,39   | 11,66  |
| AG 925 |         |        | 3,94    | 4,23   | 6,67   |

| Cod    | CCT16D | CCT19D | CCT24D | CCT30D |
|--------|--------|--------|--------|--------|
| Size   | ø 1,6  | ø 1,9  | ø 2,4  | ø 3,0  |
| 9 Kt   | 9,57   | 13,97  | 17,00  | 28,05  |
| 10 Kt  | 10,34  | 15,09  | 18,35  | 30,29  |
| 14 Kt  | 11,59  | 16,91  | 20,59  | 33,97  |
| 18 Kt  | 12,95  | 18,91  | 23,00  | 37,96  |
| 21 Kt  | 13,99  | 20,41  | 24,84  | 41,00  |
| 22 Kt  | 14,10  | 20,57  | 25,02  | 41,30  |
| AG 925 | 8,87   | 12,94  | 17,75  | 27,90  |



Weights shown in grams/meter are purely indicative and may vary.

ROSARY SNAKE  
CHAIN


| Cod    |                           | CRT2015            | CRT2515            |
|--------|---------------------------|--------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1,0<br>ø 2,0<br>15 | 1,2<br>ø 2,5<br>15 |
| 9 Kt   |                           | 8,90               | 12,11              |
| 10 Kt  |                           | 9,61               | 13,07              |
| 14 Kt  |                           | 10,77              | 14,65              |
| 18 Kt  |                           | 12,04              | 16,37              |
| 21 Kt  |                           | 13,00              | 17,68              |
| 22 Kt  |                           | 13,10              | 17,82              |
| AG 925 |                           | 7,50               | 10,20              |



D/CUT  
ROSARY SNAKE  
CHAIN 1+1

| Cod    |                           | CRTD2015           | CRTD2515           |
|--------|---------------------------|--------------------|--------------------|
| Size   | Chain<br>Bead<br>Distance | 1,0<br>ø 2,0<br>15 | 1,2<br>ø 2,5<br>15 |
| 9 Kt   |                           | 7,36               | 9,55               |
| 10 Kt  |                           | 7,95               | 10,32              |
| 14 Kt  |                           | 8,90               | 11,56              |
| 18 Kt  |                           | 9,95               | 12,92              |
| 21 Kt  |                           | 10,75              | 13,96              |
| 22 Kt  |                           | 10,83              | 14,07              |
| AG 925 |                           | 6,20               | 8,05               |





OVAL SNAKE  
CHAINS

OVAL SNAKE  
CHAIN


| Cod    | CSO26    | CSO33   | CSO42   |
|--------|----------|---------|---------|
| Size   | 2,6x1,25 | 3,3x1,5 | 4,2x1,7 |
| 9 Kt   | 10,69    | 20,55   | 30,17   |
| 10 Kt  | 11,54    | 22,19   | 32,57   |
| 14 Kt  | 12,94    | 24,88   | 36,50   |
| 18 Kt  | 14,46    | 27,80   | 40,80   |
| 21 Kt  | 15,62    | 30,02   | 44,06   |
| 22 Kt  | 15,74    | 30,26   | 44,41   |
| AG 925 |          |         | 25,41   |



D/CUT  
OVAL  
SNAKE CHAIN

| Cod    | CSO26D  | CSO33D  | CSO42D  |
|--------|---------|---------|---------|
| Size   | 2,5x1,2 | 3,3x1,5 | 4,2x1,6 |
| 9 Kt   | 8,55    | 16,11   | 20,91   |
| 10 Kt  | 9,24    | 17,39   | 22,58   |
| 14 Kt  | 10,35   | 19,50   | 25,30   |
| 18 Kt  | 11,57   | 21,79   | 28,28   |
| 21 Kt  | 12,50   | 23,53   | 30,54   |
| 22 Kt  | 12,59   | 23,72   | 30,78   |
| AG 925 |         |         | 17,61   |





SQUAMA CHAINS

D/CUT  
SQUARE  
SQUAMA CHAIN

| Cod    | CSQ14D | CSQ18D | CSQ30D |
|--------|--------|--------|--------|
| Size   | ø 1,4  | ø 1,8  | ø 3,0  |
| 14 Kt  | 5,40   | 7,72   | 18,24  |
| 18 Kt  | 6,04   | 8,63   | 20,39  |
| AG 925 | 4,14   | 5,91   | 12,70  |



D/CUT  
ROUND  
SQUAMA CHAIN


| Cod    | CST10D | CST12D | CST14D | CST16D |
|--------|--------|--------|--------|--------|
| Size   | ø 1,0  | ø 1,2  | ø 1,4  | ø 1,6  |
| 14 Kt  | 2,79   | 3,09   | 5,85   | 7,76   |
| 18 Kt  | 3,12   | 3,45   | 6,53   | 8,66   |
| AG 925 | 2,14   | 2,15   | 4,07   | 5,41   |



D/CUT  
TWISTED  
SQUAMA CHAIN

| Cod    | CSQR14D | CSQR18D | CSQR30D |
|--------|---------|---------|---------|
| Size   | ø 1,4   | ø 1,8   | ø 3,0   |
| 14 Kt  | 5,94    | 9,34    | 20,25   |
| 18 Kt  | 6,64    | 10,43   | 22,63   |
| AG 925 | 4,55    | 6,50    | 14,10   |





PENDANT  
CHAINS

D/CUT  
BOX CHAIN

| Cod    | CVE08D | CVE10D | CVE12D | CVE15D | CVE19D |
|--------|--------|--------|--------|--------|--------|
| Size   | ø 0,5  | ø 0,6  | ø 0,7  | ø 0,8  | ø 1,0  |
| 14 Kt  | 1,70   | 2,10   | 3,20   | 5,06   | 7,35   |
| 18 Kt  | 2,00   | 2,50   | 3,80   | 5,65   | 8,22   |
| AG 925 |        |        | 2,37   | 3,52   | 5,12   |



D/CUT  
FORZATINA CHAIN


| Cod    | CFZ020D | CFZ025D | CFZ030D | CFZ035D | CFZ040D |
|--------|---------|---------|---------|---------|---------|
| Size   | ø 0,7   | ø 0,8   | ø 0,9   | ø 1,1   | ø 1,4   |
| 14 Kt  | 1,26    | 1,85    | 2,53    | 3,39    | 4,05    |
| 18 Kt  | 1,41    | 2,07    | 2,83    | 3,79    | 5,20    |
| AG 925 |         |         | 2,15    | 2,74    | 4,86    |



FOX TAIL  
CHAIN

| Cod    | CVO100RE | CVO100SQ | CVO100RED | CVO100SQD |
|--------|----------|----------|-----------|-----------|
| Size   | 1,2x1    | 1x1      | 1,2x1     | 1x1       |
| 14 Kt  | 7,32     | 7,32     | 7,04      | 7,04      |
| 18 Kt  | 8,19     | 8,19     | 7,87      | 7,87      |
| AG 925 |          |          |           | 4,90      |





CRYSTAL  
CHAINS

CRYSTAL CHAIN  
MONOCOLOR

Patented items

| Cod    | SZ18C | SZ30C |
|--------|-------|-------|
| Size   | ø 1,8 | ø 3,0 |
| 9 Kt   | 11,83 | 28,87 |
| 10 Kt  | 12,78 | 31,17 |
| 14 Kt  | 14,32 | 34,93 |
| 18 Kt  | 16,00 | 39,04 |
| 21 Kt  | 17,29 | 42,16 |
| 22 Kt  | 17,42 | 42,50 |
| AG 925 | 9,97  | 24,32 |
| BZ     | 8,46  | 20,63 |

| Colors      | Cod |                                                                                      |
|-------------|-----|--------------------------------------------------------------------------------------|
| White       | WH  |    |
| Black       | BK  |    |
| Red         | RD  |    |
| Green       | GR  |    |
| Blue        | BL  |  |
| Acquamarine | AQ  |  |
| Pink        | PN  |  |
| Purple      | PR  |  |
| Brown       | BR  |  |

Weights shown in grams/meter are purely indicative and may vary.

CRYSTAL CHAIN  
MULTICOLOR

Patented items

| Cod    | SZ18M | SZ30M |
|--------|-------|-------|
| Size   | ø 1,8 | ø 3,0 |
| 9 Kt   | 11,83 | 28,87 |
| 10 Kt  | 12,78 | 31,17 |
| 14 Kt  | 14,32 | 34,93 |
| 18 Kt  | 16,00 | 39,04 |
| 21 Kt  | 17,29 | 42,16 |
| 22 Kt  | 17,42 | 42,50 |
| AG 925 | 9,97  | 24,32 |
| BZ     | 8,46  | 20,63 |

Multicolors Example

|                          |            |                                                                                      |
|--------------------------|------------|--------------------------------------------------------------------------------------|
| 2 White<br>2 Pink        | WH2<br>PN2 |    |
| 2 White<br>1 Acquamarine | WH2<br>AQ1 |    |
| 2 White<br>3 Green       | WH2<br>GR3 |    |
| 1 White<br>1 Black       | WH1<br>BK1 |    |
| 1 White<br>1 Red         | WH1<br>RD1 |  |
| 5 White<br>1 Blue        | WH5<br>BL1 |  |
| 2 Black<br>2 White       | BK2<br>WH2 |  |

LOOSE CRYSTAL  
ELEMENTS


Patented items



| Cod    | SZ18LE | SZ30LE |
|--------|--------|--------|
| Size   | ø 1,8  | ø 3,0  |
| 9 Kt   | 0,032  | 0,093  |
| 10 Kt  | 0,034  | 0,097  |
| 14 Kt  | 0,037  | 0,104  |
| 18 Kt  | 0,040  | 0,112  |
| 21 Kt  | 0,042  | 0,118  |
| 22 Kt  | 0,043  | 0,118  |
| AG 925 | 0,028  | 0,085  |
| BZ     | 0,024  | 0,072  |

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| White<br>WH                                                                       | Black<br>BK                                                                       | Red<br>RD                                                                         | Green<br>GR                                                                       | Blue<br>BL                                                                        | Pink<br>PN                                                                         | Purple<br>PR                                                                        | Aquamarine<br>AQ                                                                    | Brown<br>BR                                                                         |
|  |  |  |  |  |  |  |  |  |

Weights shown in grams for single element are purely indicative and may vary.



FASHION  
XL CHAINS



FASHION  
CRYSTAL CHAIN  
WITHOUT CZ

| Cod                     | SZ70  | SZ100  | SZ150  | SZ200  |
|-------------------------|-------|--------|--------|--------|
| Peso al Metro in AG 925 | 82,62 | 131,49 | 332,87 | 318,47 |
| Peso al Metro in BZ     | 69,40 | 110,45 | 279,60 | 267,50 |



Weights shown in grams/meter are purely indicative and may vary.

FASHION  
CRYSTAL CHAIN  
WITH CZ

| Cod                     | SZ70C  | SZ100C | SZ150C | SZ200C |
|-------------------------|--------|--------|--------|--------|
| Peso al Metro in AG 925 | 113,58 | 170,83 | 414,28 | 588,05 |
| Peso al Metro in BZ     | 95,40  | 143,49 | 347,98 | 493,94 |



FASHION XL CHAINS

Weights shown in grams/meter are purely indicative and may vary.

# INFO

## TERMS

---

Deposit required with order.

Full payment required prior to shipment.

FAOR reserves the right to remove items from production at any time.

## PRICING

---

Prices are subject to changes without notice.

Invoices are calculated at metal market rate on date of shipment.

**Gold fixing** AM London Fix + surcharge.

**Silver fixing** London Fix + surcharge.

## CA - CUSTOMISED ARTICLES

---

Deposit will be required.

CA items cannot be cancelled or returned once production has started.

Customer trade marking is available on many items.

One time trade mark stamp fee of € 250,00 will be required.

## RETURNS

---

No claims allowed after 5 days from date of receipt of invoice.

No returns accepted without FAOR return authorization.

No returns will be accepted after 30 days of invoice date.

No returns will be accepted on Special Orders, or Customer Trademarked Items.

## WEIGHTS

---

The weights of many articles in this catalog have been calculated with a conversion indicator and are therefore purely indicative and non-binding.

For exact weights of specific items, please feel free to request confirmation directly to FAOR staff.

## GUARANTEE

---

We hereby certify that all FAOR articles are nickel, lead and cadmium safe in compliance with current EU and US Regulations. Any disputes will be handled by the Court of Arezzo.

## MINIMUM ORDERS

---

**Gold** 250 grams per article - total 1 kg

**Silver** 1 kg per article - total 5 kgs

**Labour** € 500,00

**Sample order cost** € 80

**Merchandise not in Stock** Gold 1 kg per article

**Merchandise not in Stock** Silver 3 kg per article

## TERMINI

Acconto richiesto al momento dell'ordine.

Saldo del pagamento richiesto prima della spedizione.

FAOR si riserva il diritto di ritirare gli articoli dalla produzione in qualunque momento.

## PREZZI

Le fatture sono calcolate con il prezzo del metallo della data di spedizione

**Quotazione oro** 1° fixing di Londra + commissioni

**Quotazione argento** Fixing di Londra + commissioni

## AP - ARTICOLI PERSONALIZZATI

Sarà richiesto un acconto.

Gli AP non potranno essere cancellati o resi una volta che la produzione sarà iniziata. Il marchio commerciale del cliente può essere disposto su molti articoli.

Il costo per la produzione di un punzone commerciale è di 250,00€.

## RESI

Non sono permessi reclami dopo 5 giorni dalla data di ricevimento della fattura.

Non sono accettati resi senza autorizzazione da parte di FAOR.

Non saranno accettati resi dopo 30 giorni dalla data della fattura.

Non saranno accettati resi su ordini speciali, o articoli con il marchio del cliente.

## PESI

I pesi degli articoli contenuti nel presente catalogo sono indicativi e non impegnativi poiché derivati da un calcolo di conversione.

Ogni qualvolta si necessiti di un peso effettivo si consiglia di chiedere conferma direttamente al personale FAOR.

## GARANZIA

Si certifica che riguardo presenza di Nickel, Piombo e Cadmio tutti gli articoli prodotti da FAOR sono conformi alle regolamentazioni EU e US vigenti.

Eventuali controversie saranno trattate dal tribunale di Arezzo.

## ORDINI MINIMI

|                           |                                     |
|---------------------------|-------------------------------------|
| <b>Oro</b>                | 250 grammi per articolo-totale 1 kg |
| <b>Argento</b>            | 1kg per articolo-totale 5 kg        |
| <b>Manifattura</b>        | € 500,00                            |
| <b>Costo Campionatura</b> | € 80                                |
| <b>Merce non a stock</b>  | Oro 1 kg per articolo               |
| <b>Merce non a stock</b>  | Argento 5 kg per articolo           |

**F.A.OR. S.p.A.**

Via del Gavardello 68 - 52100 Arezzo - Italy  
Tel. +39 0575 381238 - Fax +39 0575 983586  
[www.faorspa.com](http://www.faorspa.com) - [info@faor.it](mailto:info@faor.it)





