





CREATING FACTS AND LEAVING WORDS TO OTHERS SO THAT EVERY OBJECTIVE ACHIEVED CAN BE THE BASIS OF A FUTURE GOAL. CONSTANTLY LOOKING FORWARD, CONTINUOUSLY INVESTING IN TECHNOLOGY AND SPECIALIZED TRAINING WE AIM AT KEEPING OUR CUSTOMERS ALWAYS AT THE CENTER OF OUR ATTENTION.

THANKS TO THE SERIOUSNESS THAT WE PUT INTO EVERY ARTICLE WE MAKE, OUR CLIENTS ARE IN RETURN REWARDED WITH QUALITY, SAFETY AND RELIABILITY DURING ANY PROCESS OF FAOR'S BUSINESS.

OUR PRODUCTION AND ORGANIZATION ENSURES A SECURE PURCHASE OF SEMI-FINISHED PRODUCTS. MADE IN FAOR. QUALITY (BRIGHTNESS, ALLOY COLORS), RELIABILITY (MECHANICAL AND PURITY), COMPETITIVE PRICING, ACCURACY IN DELIVERY, HAVE ALWAYS BEEN OUR STRENGTHS. WE ARE VERY CONFIDENT REGARDS THIS MISSION AND INVITE YOU TO COMPARE OUR PRODUCTS WITH THOSE OF ANY OF OUR COMPETITORS.

CREARE FATTI E LASCIARE LE PAROLE AGLI ALTRI, IN MODO CHE OGNI RISULTATO RAGGIUNTO SIA LA BASE DI UN OBIETTIVO FUTURO: SOLO COSÌ SI OTTIENE LA DETERMINAZIONE E L'INTRAPRENDENZA NECESSARIA PER POTER COMPETERE NEL NOSTRO SETTORE.

GUARDIAMO COSTANTEMENTE AVANTI INVESTENDO CONTINUAMENTE IN TECNOLOGIA E FORMAZIONE. AI CLIENTI, SEMPRE AL CENTRO DELLA NOSTRA ATTENZIONE, OFFRIAMO QUALITÀ, SICUREZZA E AFFIDABILITÀ, GRAZIE ALLA SERIETÀ CHE METTIAMO IN OGNI AZIONE.

PROPRIO PER QUESTO, LA NOSTRA PRODUZIONE SI RIVOLGE A TUTTI I CATENISTI IN GENERE AI QUALI GARANTIAMO UNA TRANQUILLITÀ GLOBALE SULL'ACQUISTO DEL SEMILAVORATO. QUALITÀ (LUCENTEZZA, COLORE DELLE LEGHE), AFFIDABILITÀ (MECCANICA E DELLA LEGA), PREZZI COMPETITIVI, PRECISIONE NELLE CONSEGNE, SONO DA SEMPRE I NOSTRI PUNTI DI FORZA: PER UN FACILE RISCONTRO VI INVITIAMO A CONFRONTARE I NOSTRI PRODOTTI CON QUELLI DELLA CONCORRENZA.

INDEX 2024

SPRING RINGS

- 7 Super Light Spring Rings
Standard Spring Rings

LOBSTER CLASPS

- 9 Lobster Clasps
Pear Shape Lobster Clasps
- 10 Lobster Clasps With Ring
Pear Shape Lobster Clasps With Ring
- 11 Flat End Caps
Round End Caps

BEADS OVALS

- 13 Light Weight Beads
- 14 2 Hole Beads
- 16 Oval Beads
- 17 No Hole Beads
1 Hole Beads Seamless Beads

DIAMOND CUT BEADS

- 19 D/CUT Oval Beads
- 20 D/CUT Round Beads

GENERAL FINDINGS

- 23 Lever Backs
Hooks
- 24 D/CUT Tube By Meter
D/CUT Wire

SILICONE FINDINGS

- 27 Round Stoppers
Round Stoppers With Ring
- 28 Doughnut Stoppers
Silicone Bullet Clutches

BEAD CHAINS

- 31 Smooth Bead Chain
Smooth Bead And Barrel Chain
- 32 8 Side D/CUT Bead Chain
8 Side D/CUT Bead And Barrel Chain
- 33 Square Shape Bead Chain
- 34 Long Tube Bead Chain
Short Tube Bead Chain

ROSARY CHAINS

- 37 Rosary Chain 1+1
Rosary Chain 10+1
Rosary Chain 3+1
- 38 D/CUT Rosary Chain 1+1
D/CUT Rosary Chain 10+1
D/CUT Rosary Chain 3+1

SATELLITE CHAINS

- 41 Satellite Bead Chain
D/CUT Satellite Bead Chain
- 42 D/CUT Satellite Twisted Squama
Chain Spiral S
D/CUT Satellite Twisted Squama
Chain Flat F

ELASTIC BEAD CHAINS

- 45 Elastic Bead Chain
8 Side D/CUT Elastic Bead Chain
3 Line D/CUT Elastic Bead Chain

FINISHED ELASTIC BEAD CHAINS

- 47 Finished Elastic Bead Chain
- 48 D/CUT Finished Elastic Bead Chain
- 49 D/CUT 3 Lines Finished Elastic Bead Chain

KOREAN CHAINS

- 51 Korean Chain
Popcorn Chain
- 52 D/CUT Korean Chain
D/CUT Popcorn Chain
- 53 Flat Korean Chain
- 54 Flexible Popcorn Chain
Drilled Popcorn Chain
- 55 D/CUT Flexible Popcorn Chain
D/CUT Drilled Popcorn Chain

TULIP CHAINS

- 57 Tulip Chain
Flat Tulip Chain

CUBE CHAINS

- 59 Cube Chain
D/CUT Cube Chain

SNAKE CHAINS

- 61 Snake Chain
- 62 D/CUT Snake Chain
- 63 Rosary Snake Chain
D/CUT Rosary Snake Chain 1+1

COBRA CHAINS

- 65 Cobra Chain
D/CUT Cobra Chain

FINISHED COBRA CHAIN

- 67 Finished Cobra Chain

SQUAMA CHAINS


- 69 D/CUT Square Squama Chain
D/CUT Round Squama Chain
D/CUT Twisted Squama Chain

PENDANT CHAINS

- 71 D/CUT Box Chain
D/CUT Forzatina Chain
D/CUT Calza Chain

CRYSTAL CHAINS

- 73 Crystal Chain Monocolor
- 74 Crystal Chain Multicolor



SPRING RINGS

SUPER LIGHT
SPRING RINGS




Cod	AM040TL	AM045TL	AM050TL	AM055TL
Size	ø 4,0	ø 4,5	ø 5,0	ø 5,5
9Kt	0,036	0,047	0,063	0,087
10 Kt	0,039	0,050	0,068	0,093
14 Kt	0,044	0,056	0,076	0,105
18 Kt	0,049	0,063	0,085	0,117
21 Kt	0,053	0,068	0,092	0,126
22 Kt	0,053	0,069	0,093	0,127
AG 925			0,068	0,092

STANDARD
SPRING RINGS



Cod	AM050	AM055	AM060	AM070	AM100
Size	ø 5,0	ø 5,5	ø 6,0	ø 7,0	ø 10,0
9 Kt	0,093	0,121	0,144	0,208	0,441
10 Kt	0,101	0,131	0,156	0,224	0,476
14 Kt	0,113	0,147	0,174	0,251	0,533
18 Kt	0,126	0,164	0,195	0,281	0,596
21 Kt	0,136	0,177	0,211	0,303	0,644
22 Kt	0,137	0,179	0,212	0,306	0,649
AG 925	0,114	0,137	0,157	0,179	0,432

All Spring Rings can be supplied with: Flat Ring - MP and/or Soldered Ring - S.
Weights shown in grams/piece are purely indicative and may vary.



LOBSTER
CLASPS

LOBSTER CLASPS



Cod	CH0	CH1	CH2	CH3	CH4	CH5
Size	8,0x3,3	10,0x3,8	11,5x4,3	13,7x5,3	16,3x6,3	16,3x8,0
9 Kt	0,240	0,396	0,523	0,852	1,436	2,165
10 Kt	0,259	0,428	0,564	0,920	1,550	2,337
14 Kt	0,291	0,480	0,633	1,032	1,737	2,620
18 Kt	0,325	0,536	0,707	1,153	1,923	2,928
21 Kt	0,351	0,579	0,764	1,245	2,097	3,162
22 Kt	0,354	0,583	0,770	1,255	2,114	3,187
AG 925	0,202	0,334	0,440	0,718	1,317	1,824

PEAR SHAPE
LOBSTER CLASPS



Cod	CHP0	CHP1	CHP2	CHP3
Size	8,0x4,4	9,3x5,0	11,1x6,1	13,1x7,0
9Kt	0,238	0,330	0,563	0,855
10 Kt	0,257	0,357	0,608	0,923
14 Kt	0,288	0,400	0,682	1,034
18 Kt	0,322	0,447	0,762	1,156
21 Kt	0,348	0,483	0,823	1,249
22 Kt	0,350	0,487	0,829	0,126
AG 925	0,201	0,284	0,495	0,753

LOBSTER CLASPS
WITH RING



Cod	CH0MG	CH1MG	CH2MG	CH3MG	CH4MG	CH5MG
Size	8,0x3,3	10,0x3,8	11,5x4,3	13,7x5,3	16,3x6,3	16,3x8,0
9 Kt	0,279	0,440	0,586	0,984	1,550	2,259
10 Kt	0,302	0,475	0,633	1,062	1,674	2,439
14 Kt	0,338	0,532	0,709	1,191	1,876	2,733
18 Kt	0,378	0,595	0,793	1,331	2,097	3,055
21 Kt	0,408	0,643	0,856	1,437	2,265	3,299
22 Kt	0,411	0,648	0,863	1,449	2,283	3,325
AG 925	0,235	0,371	0,494	0,829	1,306	1,903

PEAR SHAPE
LOBSTER CLASPS
WITH RING



Cod	CHP0MG	CHP1MG	CHP2MG	CHP3MG
Size	8,0x4,4	9,3x5,0	11,1x6,1	13,1x7,0
9Kt	0,293	0,373	0,645	0,888
10 Kt	0,316	0,402	0,696	0,959
14 Kt	0,354	0,451	0,780	1,074
18 Kt	0,396	0,504	0,872	1,201
21 Kt	0,428	0,544	0,942	1,297
22 Kt	0,431	0,549	0,949	1,307
AG 925	0,270	0,322	0,576	0,748

Weights shown in grams/piece are purely indicative and may vary.

FLAT END
CAPS




Cod		F10	F15	F20	F25	F30	F35
Size	Ext.	ø 1,0	ø 1,5	ø 2,0	ø 2,5	ø 3,0	ø 3,5
14 Kt			0,058	0,076	0,091	0,126	0,144
18 Kt			0,065	0,085	0,102	0,141	0,161
AG 925		0,031	0,045	0,053	0,074	0,088	0,113

Cod		F40	F50	F60	F70	F80
Size	Ext.	ø 4,0	ø 5,0	ø 6,0	ø 7,0	ø 8,0
14 Kt		0,192	0,239	0,290	0,295	0,456
18 Kt		0,215	0,267	0,325	0,402	0,510
AG 925		0,134	0,187	0,234	0,270	0,351

ROUND END
CAPS



Cod		FT10	FT12	FT15	FT20	FT25	FT30	FT35
Size	Int.	ø 1,0	ø 1,2	ø 1,5	ø 2,0	ø 2,5	ø 3,0	ø 3,5
14 Kt			0,072	0,098	0,134	0,172	0,244	0,407
18 Kt			0,080	0,109	0,149	0,193	0,273	0,455
AG 925		0,037	0,05	0,068	0,093	0,120	0,170	0,200



BEADS & OVALS

LIGHT WEIGHT
BEADS




Cod		PL2L03009	PL2L04012	PL2L05013	PL2L05016
Size	Ext. Hole	ø 3,0 ø 0,9	ø 4,0 ø 1,2	ø 5,0 ø 1,3	ø 5,0 ø 1,6
AG 925		0,045	0,093	0,138	0,148

LIGHT WEIGHT
BEADS



Cod		PL2L06014	PL2L06016	PL2L07017	PL2L08016
Size	Ext. Hole	ø 6,0 ø 1,4	ø 6,0 ø 1,6	ø 7,0 ø 1,7	ø 8,0 ø 1,6
AG 925		0,225	0,228	0,393	0,630

LIGHT WEIGHT
BEADS



Cod		PL2L08018	PL2L08030	PL2L10026	PL2L10030
Size	Ext. Hole	ø 8,0 ø 1,8	ø 8,0 ø 3,0	ø 10,0 ø 2,6	ø 10,0 ø 3,0
AG 925		0,578	0,515	0,916	0,970

2 HOLE BEADS



Cod		PL2N01808	PL2N02008	PL2N02009	PL2N02209	PL2N02210	PL2N02509
Size	Ext. Hole	ø 1,8 ø 0,8	ø 2,0 ø 0,8	ø 2,0 ø 0,9	ø 2,2 ø 0,9	ø 2,2 ø 1,0	ø 2,5 ø 0,9
9 Kt		0,018	0,022	0,021	0,028	0,030	0,038
10 Kt		0,019	0,024	0,023	0,030	0,032	0,041
14 Kt		0,021	0,027	0,026	0,034	0,036	0,046
18 Kt		0,024	0,030	0,029	0,038	0,040	0,051
21 Kt		0,026	0,032	0,031	0,041	0,043	0,055
22 Kt		0,026	0,033	0,031	0,041	0,044	0,056
AG 925		0,015	0,019	0,018	0,024	0,025	0,032

2 HOLE BEADS



Cod		PL2N02511	PL2N02513	PL2N03010	PL2N03012	PL2N03015	PL2N03514
Size	Ext. Hole	ø 2,5 ø 1,1	ø 2,5 ø 1,3	ø 3,0 ø 1,0	ø 3,0 ø 1,2	ø 3,0 ø 1,5	ø 3,5 ø 1,4
9 Kt		0,035	0,034		0,057	0,052	0,090
10 Kt		0,038	0,037		0,061	0,057	0,097
14 Kt		0,043	0,041		0,069	0,064	0,109
18 Kt		0,048	0,046		0,077	0,071	0,122
21 Kt		0,052	0,050		0,083	0,077	0,132
22 Kt		0,052	0,050		0,084	0,077	0,133
AG 925		0,030	0,031	0,048	0,048	0,044	0,076

2 HOLE BEADS



Cod		PL2N03516	PL2N04010	PL2N04015	PL2N04018	PL2N04518	PL2N04520
Size	Ext. Hole	ø 3,5 ø 1,6	ø 4,0 ø 1,0	ø 4,0 ø 1,5	ø 4,0 ø 1,8	ø 4,5 ø 1,8	ø 4,5 ø 2,0
9 Kt		0,084		0,122	0,104	0,155	0,153
10 Kt		0,091		0,132	0,112	0,168	0,165
14 Kt		0,102		0,148	0,125	0,188	0,185
18 Kt		0,114		0,165	0,140	0,210	0,207
21 Kt		0,123		0,179	0,151	0,227	0,224
22 Kt		0,124		0,180	0,152	0,229	0,225
AG 925		0,071	0,122	0,103	0,098	0,131	0,129

2 HOLE BEADS




Cod		PL2N05012	PL2N05015	PL2N05018	PL2N05022	PL2N06015	PL2N06024
Size	Ext. Hole	ø 5,0 ø 1,2	ø 5,0 ø 1,5	ø 5,0 ø 1,8	ø 5,0 ø 2,2	ø 6,0 ø 1,5	ø 6,0 ø 2,4
9 Kt		0,210	0,237		0,172	0,324	0,301
10 Kt		0,227	0,256		0,185	0,350	0,325
14 Kt		0,254	0,287		0,208	0,392	0,365
18 Kt		0,284	0,321		0,232	0,438	0,408
21 Kt		0,307	0,347		0,251	0,473	0,440
22 Kt		0,309	0,349		0,253	0,477	0,444
AG 925		0,177	0,200	0,193	0,145	0,273	0,254

2 HOLE BEADS



Cod		PL2N07018	PL2N07028	PL2N08020	PL2N08025	PL2N08030	PL2N08045
Size	Ext. Hole	ø 7,0 ø 1,8	ø 7,0 ø 2,8	ø 8,0 ø 2,0	ø 8,0 ø 2,5	ø 8,0 ø 3,0	ø 8,0 ø 4,5
9 Kt			0,451	0,748	0,757	0,625	
10 Kt			0,487	0,807	0,817	0,675	
14 Kt			0,546	0,905	0,916	0,756	
18 Kt			0,610	1,011	1,024	0,845	
21 Kt			0,659	1,092	1,106	0,913	
22 Kt			0,664	1,100	1,115	0,920	
AG 925		0,480	0,422	0,630	0,638	0,577	0,510

2 HOLE BEADS



Cod		PL2N09021	PL2N09034	PL2N10022	PL2N10034	PL2N10050	PL2N12050
Size	Ext. Hole	ø 9,0 ø 2,1	ø 9,0 ø 3,4	ø 10,0 ø 2,2	ø 10,0 ø 3,4	ø 10,0 ø 5,0	ø 12,0 ø 5,0
9 Kt		0,963	0,895		1,314	1,047	1,965
10 Kt		1,039	0,966		1,419	1,130	2,122
14 Kt		1,165	1,083		1,590	1,267	2,378
18 Kt		1,302	1,210		1,777	1,416	2,658
21 Kt		1,406	1,307		1,919	1,529	2,871
22 Kt		1,417	1,317		1,934	1,541	2,893
AG 925		0,811	0,754	1,180	1,107	0,882	1,656

OVAL BEADS



Cod		OL2N03012	OL2N04013	OL2N05013
Size	Ext. Hole	3,0x4,5 ø 1,2	4,0x6,5 ø 1,3	5,0x8,0 ø 1,3
9 Kt		0,094	0,194	0,369
10 Kt		0,101	0,210	0,398
14 Kt		0,114	0,235	0,447
18 Kt		0,127	0,263	0,499
21 Kt		0,137	0,284	0,539
22 Kt		0,138	0,286	0,543
AG 925		0,084	0,172	0,311

OVAL BEADS



Cod		OL2N05018	OL2N06015	OL2N07015
Size	Ext. Hole	5,0x8,0 ø 1,8	6,0x8,0 ø 1,5	7,0x9,0 ø 1,5
9 Kt		0,378	0,370	0,835
10 Kt		0,408	0,399	0,901
14 Kt		0,457	0,447	1,010
18 Kt		0,511	0,500	1,129
21 Kt		0,552	0,540	1,219
22 Kt		0,556	0,544	1,229
AG 925		0,318	0,311	0,703

Weights shown in grams/piece are purely indicative and may vary.

NO HOLE BEADS




Cod		PLON020	PLON025	PLON030	PLON040
Size	Ext.	ø 2	ø 2,5	ø 3,0	ø 4,0
14 Kt		0,036	0,057	0,090	0,182
18 Kt		0,040	0,064	0,101	0,204
AG 925		0,025	0,040	0,063	0,127

1 HOLE
SEAMLESS BEADS



Cod		PL1N03009	PL1N04009
Size	Ext. Hole	ø 3,0 ø 0,9	ø 4,0 ø 0,9
9 Kt		0,070	0,126
10 Kt		0,076	0,136
14 Kt		0,085	0,152
18 Kt		0,095	0,170
21 Kt		0,103	0,184
22 Kt		0,103	0,185
AG 925		0,059	0,110



DIAMOND
CUT BEADS

D/CUT
OVAL BEADS

Cod		OD2N03012	OD2N04013
Size	Ext. Hole	3,0x4,5 ø 1,2	4,0x6,5 ø 1,3
9 Kt		0,072	0,142
10 Kt		0,077	0,154
14 Kt		0,087	0,172
18 Kt		0,097	0,193
21 Kt		0,105	0,208
22 Kt		0,105	0,210
AG 925		0,060	0,120



3F



5F



3L



5L



XX



SO



SS

**D/CUT
ROUND BEADS**

Cod		PD2N01808	PD2N02008	PD2N02009	PD2N02209	PD2N02210	PD2N02509
Size	Ext. Hole	ø 1,8 ø 0,8	ø 2,0 ø 0,8	ø 2,0 ø 0,9	ø 2,2 ø 0,9	ø 2,2 ø 1,0	ø 2,5 ø 0,9
9 Kt		0,014	0,017	0,015	0,022	0,021	0,028
10 Kt		0,015	0,018	0,016	0,023	0,023	0,030
14 Kt		0,017	0,020	0,018	0,026	0,025	0,034
18 Kt		0,019	0,022	0,020	0,029	0,028	0,038
21 Kt		0,021	0,024	0,022	0,032	0,031	0,041
22 Kt		0,021	0,024	0,022	0,032	0,031	0,041
AG 925					0,018	0,018	0,024

**D/CUT
ROUND BEADS**

Cod		PD2N02511	PD2N02513	PD2N03012	PD2N03015	PD2N04015	PD2N04018
Size	Ext. Hole	ø 2,5 ø 1,1	ø 2,5 ø 1,3	ø 3,0 ø 1,2	ø 3,0 ø 1,5	ø 4,0 ø 1,5	ø 4,0 ø 1,8
9 Kt		0,024	0,022	0,040	0,036	0,075	0,071
10 Kt		0,025	0,024	0,044	0,039	0,081	0,077
14 Kt		0,029	0,027	0,049	0,044	0,091	0,086
18 Kt		0,032	0,030	0,055	0,049	0,102	0,096
21 Kt		0,034	0,032	0,059	0,053	0,110	0,104
22 Kt		0,035	0,032	0,059	0,053	0,111	0,104
AG 925		0,020	0,019	0,034	0,030	0,063	0,060

**D/CUT
ROUND BEADS**

Cod		PD2N05022	PD2N06024	PD2N08030	PD2N10050	PD2N12050
Size	Ext. Hole	ø 5,0 ø 2,2	ø 6,0 ø 2,4	ø 8,0 ø 3,0	ø 10,0 ø 5,0	ø 12,0 ø 5,0
9 Kt		0,117	0,189	0,485	0,681	1,150
10 Kt		0,126	0,204	0,494	0,735	1,242
14 Kt		0,142	0,228	0,554	0,824	1,392
18 Kt		0,158	0,255	0,619	0,921	1,556
21 Kt		0,171	0,275	0,669	0,995	1,681
22 Kt		0,172	0,278	0,674	1,002	1,694
AG 925		0,099	0,159	0,386	0,574	0,969

	5F	3F	LI	3L	SO	XX	SS	5L	XL
PD2N01808				X					
PD2N02008			X	X					
PD2N02009			X	X					
PD2N02209		X	X	X	X				
PD2N02210		X	X	X	X				
PD2N02509		X	X	X	X	X			
PD2N02511		X	X	X	X	X			
PD2N02513		X	X	X	X	X			
PD2N03012	X	X	X	X	X	X	X		X
PD2N03015	X	X	X	X	X	X	X		X
PD2N04015	X	X	X	X	X	X	X		X
PD2N04018	X	X	X	X	X	X	X		X
PD2N05022	X	X	X	X	X	X	X		X
PD2N06024	X	X	X	X	X	X	X	X	X
PD2N08030	X		X		X	X	X	X	X
PD2N10050	X		X		X	X	X	X	X
PD2N12050			X		X	X	X	X	X



5F



3F



LI



3L



SO



XX




SS



5L



XL




GENERAL FINDINGS

LEVER BACKS




Cod		LBD01
Size	Length Diam.	13,5 Ø 9,3
AG 925		0,385

HOOKS



Cod		HOS01
Size	Length	17,61
AG 925		0,271

HOOKS



Cod		HOS02
Size	Length	17,61
AG 925		0,221

D/CUT TUBE BY
METER



Cod		TD130	TD150	TD180	TD200
Size	Ext. Hole	ø 1,3 ø 0,9	ø 1,5 ø 1,1	ø 1,8 ø 1,3	ø 2,0 ø 1,5
14 Kt		8,94	11,68	13,41	19,18
18 Kt		9,95	13,00	14,93	21,35
AG 925		6,20	8,10	9,30	13,30

D/CUT WIRE




Cod	FD060 T03	FD080 T03	FD100 T03	FD130 T03
Size	ø 0,6	ø 0,8	ø 1,0	ø 1,3
14 Kt	3,81	7,04	10,56	15,51
18 Kt	4,25	7,87	11,80	17,34
AG 925	2,65	4,90	7,35	10,80

Weights Shown are in Grams/meter

Short tubes may be supplied in different lengths.
Weights shown in grams/meter are purely indicative and may vary.





SILICONE FINDINGS

ROUND
STOPPERS



Cod		PC2N03015 /01	PC2N04018 /02	PC2N04518 /04	PC2N05022 /07
Size	Ext.	ø 3,0	ø 4,0	ø 4,5	ø 5,0
	Hole	ø 1,5	ø 1,8	ø 1,8	ø 2,2
	Int.	ø 0,1	ø 0,2	ø 0,4	ø 0,7
14 Kt		0,070	0,150	0,215	0,253
18 Kt		0,078	0,168	0,240	0,283
AG 925		0,055	0,125	0,161	0,203

Cod		PC2N06024 /10	PC2N08045 /20	PC2N10042 /22
Size	Ext.	ø 6,0	ø 8,0	ø 10,0
	Hole	ø 2,4	ø 4,5	ø 4,2
	Int.	ø 1,0	ø 2,0	ø 2,2
14 Kt		0,402	0,812	1,813
18 Kt		0,449	0,908	2,026
AG 925		0,322	0,674	1,285

ROUND STOPPERS
WITH RING



Cod		PC2N03015 /01MG	PC2N04018 /02MG	PC2N05022 /07MG
Size	Ext.	ø 3,0	ø 4,0	ø 5,0
	Hole	ø 1,5	ø 1,8	ø 2,2
	Int.	ø 0,1	ø 0,2	ø 0,7
14 Kt		0,093	0,203	0,334
18 Kt		0,104	0,223	0,365
AG 925		0,065	0,142	0,226

DOUGHNUT
STOPPERS



Cod		TCN05025/10	TCN06032/21	TCN08043/27
Size	Ext. Hole Int.	ø 5,0x3,0 ø 2,5 ø 1,0	ø 6,0x3,3 ø 3,2 ø 2,1	ø 8,0x3,9 ø 4,3 ø 2,7
14 Kt		0,179	0,265	0,469
18 Kt		0,200	0,290	0,524
AG 925		0,131	0,230	0,462


SILICONE BULLET
CLUTCHES



Cod	BC3035	BC3545	BC4050
Size	ø 3,50x3,32	ø 4,30x3,80	ø 4,85x4,5
9 Kt	0,114	0,172	0,226
10 Kt	0,123	0,185	0,243
14 Kt	0,138	0,208	0,273
18 Kt	0,154	0,232	0,305
21 Kt	0,166	0,251	0,329
22 Kt	0,168	0,253	0,332
AG 925	0,096	0,145	0,190

	INTERNAL Ø FOR CHAIN/WIRE
PC2N03015/01	0,2 > 0,4 mm
PC2N04018/02	0,5 > 0,6 mm
PC2N04518/04	0,7 > 0,9 mm
PC2N05022/07	1,0 > 1,2 mm
PC2N06024/10	1,3 > 1,6 mm
PC2N08045/20	1,7 > 2,2 mm
PC2N10042/22	2,3 > 3,0 mm
TCN05015/10	1,2 > 1,5 mm
TCN06032/21	1,6 > 1,9 mm
TCN08043/27	2,0 > 2,4 mm

The internal measure of silicone parts may vary according to the different batches of silicone supplied.



BEAD CHAINS

SMOOTH
BEAD CHAIN

Cod	CPA10	CPA12	CPA15	CPA18	CPA22	CPA30
Size	ø 1,0	ø 1,2	ø 1,5	ø 1,8	ø 2,2	ø 3,0
9 Kt	3,13	4,64	7,06	9,93	15,95	28,21
10 Kt	3,38	5,01	7,62	10,72	17,22	30,46
14 Kt	3,78	5,62	8,54	12,02	18,60	34,14
18 Kt	4,23	6,28	9,55	13,43	21,58	38,16
21 Kt	4,57	6,78	10,31	15,40	23,31	41,21
22 Kt	4,60	6,83	10,39	14,62	23,48	41,53
AG 925	2,91	3,91	6,54	9,21	14,78	23,77



SMOOTH
BEAD AND
BARREL CHAIN

Cod	CPB10	CPB12	CPB15	CPB18
Size	ø 1,0	ø 1,2	ø 1,5	ø 1,8
9 Kt	3,51	4,96	7,96	11,75
10 Kt	3,79	5,35	8,60	12,69
14 Kt	4,25	6,01	9,64	14,22
18 Kt	4,75	6,71	10,77	15,89
21 Kt	5,13	7,25	11,63	17,16
22 Kt	5,17	7,30	11,72	17,30
AG 925	2,96	4,18	6,71	9,90



8 SIDE D/CUT
BEAD CHAIN

Cod	CPA10D	CPA12D	CPA15D	CPA18D	CPA22D	CPA30D
Size	ø 1,0	ø 1,2	ø 1,5	ø 1,8	ø 2,2	ø 3,0
9 Kt	2,97	3,75	6,54	8,83	16,10	23,44
10 Kt	3,21	4,05	7,06	9,53	17,38	25,31
14 Kt	3,60	4,55	7,92	10,68	19,50	28,39
18 Kt	4,02	5,08	8,85	11,94	21,78	31,72
21 Kt	4,34	5,49	9,56	12,90	23,53	34,26
22 Kt	4,37	5,53	9,63	13,00	23,70	34,51
AG 925	2,78	3,69	6,06	8,18	13,57	19,76



8 SIDE D/CUT
BEAD AND
BARREL CHAIN

Cod	CPB10D	CPB12D	CPB15D	CPB18D
Size	ø 1,0	ø 1,2	ø 1,5	ø 1,8
9 Kt	2,98	4,44	7,87	9,77
10 Kt	3,22	4,79	8,49	10,55
14 Kt	3,61	5,37	9,53	11,83
18 Kt	4,03	6,01	10,64	13,22
21 Kt	4,35	6,48	11,49	14,28
22 Kt	4,39	6,53	11,58	14,39
AG 925	2,76	4,11	6,63	9,06



Weights shown in grams/meter are purely indicative and may vary.

SQUARE SHAPE
BEAD CHAIN

Cod	CPA12QD	CPA15QD	CPA18QD	CPA22QD	CPA30QD
Size	ø 1,2	ø 1,5	ø 1,8	ø 2,2	ø 3,0
9 Kt	4,09	6,57	8,51	15,26	23,51
10 Kt	4,41	7,10	9,19	16,48	25,39
14 Kt	4,95	7,95	10,30	18,47	28,45
18 Kt	5,53	8,89	11,51	20,64	31,80
21 Kt	5,97	9,60	12,43	22,29	34,34
22 Kt	6,02	9,68	12,53	22,47	34,61
AG 925	3,79	6,09	7,88	14,14	21,85



LONG TUBE
BEAD CHAIN

Cod	CPA40	CPA50	CPA60	CPA80	CPA100
Size	ø 4,0	ø 5,0	ø 6,0	ø 8,0	ø 10,0
Distance	1,6	2,00	2,32	3,30	4,45
9 Kt	36,08	39,29	54,60	90,20	117,50
10 Kt	38,96	42,42	58,95	97,39	126,86
14 Kt	43,66	47,54	66,07	109,15	142,18
18 Kt	48,80	53,14	73,84	122,00	158,92
21 Kt	52,71	57,39	79,75	131,77	171,64
22 Kt	53,12	57,84	80,38	132,80	172,99
AG 925	30,40	33,10	46,00	76,00	99,00




SHORT TUBE
BEAD CHAIN

Cod	CPA60S	CPA80S	CPA100S
Size	ø 6,0	ø 8,0	ø 10,0
Distance	0,60	1,20	1,50
9 Kt	66,47	110,38	144,80
10 Kt	71,76	119,18	156,34
14 Kt	80,43	133,57	175,22
18 Kt	89,90	149,29	195,85
21 Kt	97,09	161,24	211,52
22 Kt	97,85	162,50	213,17
AG 925	56,00	93,00	122,00



Weights shown in grams/meter are purely indicative and may vary.



ROSARY
CHAINS

ROSARY
CHAIN
1+1

Cod		CRP2015	CRP2515
Size	Chain Bead Distance	1 ø 2,0 15	1,2 ø 2,5 15
9 Kt		4,66	7,41
10 Kt		5,03	8,00
14 Kt		5,64	8,96
18 Kt		6,30	10,02
21 Kt		6,80	10,82
22 Kt		6,86	10,90
AG 925		3,93	6,24



ROSARY
CHAIN
10+1

Cod		CRSP2018	CRSP2518
Size	Chain Bead Distance	1 ø 2,0 18	1,2 ø 2,5 18
9 Kt		6,26	8,58
10 Kt		6,75	9,26
14 Kt		7,57	10,38
18 Kt		8,46	11,61
21 Kt		9,14	12,53
22 Kt		9,21	12,63
AG 925		5,27	7,23



ROSARY
CHAIN
3+1

Cod		CRTP2018	CRTP2518
Size	Chain Bead Distance	1 ø 2,0 18	1,2 ø 2,5 18
9 Kt		4,99	6,84
10 Kt		5,38	7,38
14 Kt		6,03	8,28
18 Kt		6,74	9,25
21 Kt		7,28	9,99
22 Kt		7,34	10,07
AG 925		4,20	5,76



D/CUT
ROSARY
CHAIN 1+1

Cod		CRPD2015	CRPD2515
Size	Chain Bead Distance	1 ø 2,0 15	1,2 ø 2,5 15
9 Kt		7,53	10,33
10 Kt		8,13	11,15
14 Kt		9,11	12,50
18 Kt		10,18	13,97
21 Kt		11,00	15,08
22 Kt		11,08	15,20
AG 925		6,34	8,70



D/CUT
ROSARY
CHAIN 10+1

Cod		CRSPD2018	CRSPD2518
Size	Chain Bead Distance	1,0 ø 2,0 18	1,2 ø 2,5 18
9 Kt		5,47	7,50
10 Kt		5,91	8,10
14 Kt		6,62	9,08
18 Kt		7,40	10,15
21 Kt		7,99	10,96
22 Kt		8,05	11,05
AG 925		4,61	6,32




D/CUT
ROSARY
CHAIN 3+1

Cod		CRTPD2018	CRTPD2518
Size	Chain Bead Distance	1,0 ø 2,0 18	1,2 ø 2,5 18
9 Kt		5,47	6,14
10 Kt		5,91	6,63
14 Kt		6,62	7,44
18 Kt		7,40	8,31
21 Kt		7,99	8,97
22 Kt		8,05	9,05
AG 925		4,61	5,18







SATELLITE
CHAINS

SATELLITE
BEAD CHAIN

Cod		SATCPA1204	SATCPA1504
Size	Chain Bead Distance	1,2 ø 2,5 4	1,5 ø 3 4
14 Kt		14,20	16,50
18 Kt		15,90	18,50
AG 925		9,90	11,50



D/CUT
SATELLITE
BEAD CHAIN

Cod		SATCPA12D04	SATCPA15D04
Size	Chain Bead Distance	1,2 ø 2,5 4	1,5 ø 3 4
14 Kt		13,60	15,80
18 Kt		15,30	17,70
AG 925		9,50	11,00



D/CUT
SATELLITE
TWISTED
SQUAMA CHAIN
SPIRAL S

Cod		SATCSQRS14D	SATCSQRS18D	SATCSQRS30D
Size	Chain Bead Distance	1,4 ø 2,0 1	1,8 ø 2,5 1	3,0 ø 3,0 1
14 Kt		13,95	21,83	51,42
18 Kt		15,60	24,40	57,46
AG 925		10,69	15,20	35,80




D/CUT
SATELLITE
TWISTED
SQUAMA CHAIN
FLAT. F

Cod		SATCSQRF14D	SATCSQRF18D	SATCSQRF30D
Size	Chain Bead Distance	1,4 ø 2,0 1	1,8 ø 2,5 1	3,0 ø 3,0 1
14 Kt		13,95	21,83	51,42
18 Kt		15,60	24,40	57,46
AG 925		10,69	15,20	35,80





SATELLITE CHAINS



ELASTIC
BEAD CHAINS

ELASTIC BEAD
CHAIN

Cod	CPE25	CPE30	CPE40	CPE60	CPE80
Size	ø 2,5	ø 3,0	ø 4,0	ø 6,0	ø 8,0
14 Kt	32,54	35,71	57,95	85,92	140,17
18 Kt	36,36	39,90	64,75	96,00	156,61
AG 925	22,65	24,86	44,65	59,80	97,56



8 SIDE D/CUT
ELASTIC BEAD
CHAIN


Cod	CPE25D	CPE30D	CPE40D	CPE60D
Size	ø 2,5	ø 3,0	ø 4,0	ø 6,0
14 Kt	25,81	33,07	48,81	70,86
18 Kt	28,85	36,96	54,56	79,20
AG 925	19,36	27,72	40,59	57,51



3 LINE D/CUT
ELASTIC BEAD
CHAIN

Cod	CPE30D 3L	CPE40D 3L	CPE60D 3L
Size	ø 3,0	ø 4,0	ø 6,0
14 Kt	39,71	47,69	76,71
18 Kt	44,37	53,30	85,71
AG 925	27,64	39,03	53,39





FINISHED ELASTIC BEAD CHAINS

FINISHED
ELASTIC
BEAD CHAIN

Cod		CPE25 FIN	CPE30 FIN	CPE40 FIN	CPE60 FIN	CPE80 FIN
Size	Bead Distance	ø 2,5 18 cm	ø 3,0 18 cm	ø 4,0 18 cm	ø 6,0 18 cm	ø 8 18 cm
14 Kt		5,86	6,42	10,43	15,46	25,20
18 Kt		6,50	7,20	11,70	17,28	28,65
AG 925		4,07	4,57	8,03	10,76	17,65



FINISHED ELASTIC BEAD CHAINS

D/CUT
FINISHED
ELASTIC
BEAD CHAIN

Cod		CPE25D FIN	CPE30D FIN	CPE40D FIN	CPE60D FIN
Size	Bead Distance	ø 2,5 18 cm	ø 3,0 18 cm	ø 4,0 18 cm	ø 6,0 18 cm
14 Kt		4,65	5,95	8,80	12,75
18 Kt		5,10	6,60	9,90	14,25
AG 925		3,48	4,98	7,30	10,35



Weights shown in grams/meter are purely indicative and may vary.


D/CUT
3 LINES
FINISHED
ELASTIC
BEAD CHAIN

Cod		CPE30D 3L FIN	CPE40D 3L FIN	CPE60D 3L FIN
Size	Bead Length	ø 3,0 18 cm	ø 4,0 18 cm	ø 6,0 18 cm
14 Kt		7,10	8,58	13,80
18 Kt		7,80	9,59	15,10
AG 925		4,97	7,03	9,61



FINISHED ELASTIC BEAD CHAINS

Weights shown in grams for single element are purely indicative and may vary.



KOREAN
CHAINS

KOREAN
CHAIN

Cod	COR12	COR15
Size	ø 1,2	ø 1,5
9 Kt	4,10	5,43
10 Kt	4,42	5,86
14 Kt	4,96	6,57
18 Kt	5,54	7,34
21 Kt	5,98	7,93
22 Kt	6,03	7,99
AG 925	3,81	5,03



POPCORN
CHAIN

Cod	CORB13	CORB16	CORB18	CORB20	CORB25	CORB30
Size	ø 1,3	ø 1,6	ø 1,8	ø 2,0	ø 2,5	ø 3,0
9 Kt	4,37	5,65	5,91	7,27	9,20	12,44
10 Kt	4,72	6,10	6,38	7,85	9,93	13,43
14 Kt	5,29	6,84	7,15	8,81	11,13	15,06
18 Kt	5,91	7,64	7,99	9,84	12,44	16,83
21 Kt	6,38	8,25	8,63	10,63	13,44	18,18
22 Kt	6,43	8,31	8,70	10,71	13,54	18,32
AG 925	3,68	4,76	5,47	6,13	8,52	11,53



D/CUT KOREAN
CHAIN

Cod	COR12D	COR15D
Size	ø 1,2	ø 1,5
9 Kt	3,57	4,68
10 Kt	3,86	5,05
14 Kt	4,32	5,66
18 Kt	4,83	6,33
21 Kt	5,22	6,84
22 Kt	5,26	6,89
AG 925	3,31	4,34



D/CUT
POPCORN CHAIN

Cod	CORB13D	CORB16D	CORB18D	CORB20D	CORB25D	CORB30D
Size	ø 1,3	ø 1,6	ø 1,8	ø 2,0	ø 2,5	ø 3,0
9 Kt	3,64	5,17	5,27	6,70	8,83	10,57
10 Kt	3,93	5,58	5,69	7,24	9,53	11,41
14 Kt	4,41	6,13	6,38	8,12	10,68	12,78
18 Kt	4,93	6,99	7,13	9,07	11,94	14,29
21 Kt	5,32	7,55	7,70	9,80	12,90	15,43
22 Kt	5,36	7,61	7,76	9,87	13,00	15,55
AG 925	3,07	4,35	4,89	5,65	8,18	9,79



FLAT
KOREAN CHAIN

Cod	CORP12	CORP14	CORP16	CORP18
Size	ø 1,2	ø 1,4	ø 1,6	ø 1,8
9 Kt	3,71	5,54	5,87	6,32
10 Kt	4,01	5,99	6,34	6,83
14 Kt	4,49	6,71	7,10	7,65
18 Kt	5,02	7,50	7,94	8,55
21 Kt	5,42	8,10	8,58	9,23
22 Kt	5,46	8,16	8,64	9,31
AG 925	3,44	4,67	5,44	5,86



FLEXIBLE
POPCORN CHAIN

Cod	CORB26F	CORB30F	CORB36F	CORB46F
Size	ø 2,6	ø 3,0	ø 3,6	ø 4,6
9 Kt	10,06	14,99	22,04	31,87
10 Kt	10,86	16,04	23,80	34,41
14 Kt	12,17	17,98	26,67	38,56
18 Kt	13,60	20,10	29,81	43,10
21 Kt	14,69	21,71	32,20	46,55
22 Kt	14,80	21,88	32,45	46,92
AG 925	9,95	14,67	18,57	26,85



DRILLED
POPCORN CHAIN

Cod		CORB26FL	CORB30FL	CORB36FL	CORB46FL
Size	Ext. Hole	ø 2,6 ø 0,8	ø 3,0 ø 1,2	ø 3,6 ø 1,2	ø 4,6 ø 1,7
9 Kt		9,80	13,87	21,48	27,71
10 Kt		10,58	14,85	23,19	29,92
14 Kt		11,85	16,64	25,99	33,54
18 Kt		13,25	18,60	29,05	37,48
21 Kt		14,31	20,09	31,37	40,48
22 Kt		14,42	20,25	31,62	40,80
AG 925		8,25	13,58	16,06	23,35



D/CUT
FLEXIBLE
POPCORN CHAIN

Cod	CORB26FD	CORB30FD	CORB36FD	CORB46FD
Size	ø 2,6	ø 3,0	ø 3,6	ø 4,6
9 Kt	9,52	13,57	18,53	26,11
10 Kt	10,27	14,53	20,00	28,20
14 Kt	11,51	16,28	22,42	31,62
18 Kt	12,87	18,20	25,06	35,33
21 Kt	13,90	19,66	27,07	38,16
22 Kt	14,01	19,81	27,28	38,44
AG 925	9,35	13,28	15,61	22,01




D/CUT
DRILLED
POPCORN CHAIN

Cod		CORB26FLD	CORB30FLD	CORB36FLD	CORB46FLD
Size	Ext. Hole	ø 2,6 ø 0,8	ø 3,0 ø 1,2	ø 3,6 ø 1,2	ø 4,6 ø 1,7
9 Kt		8,58	12,23	18,82	24,58
10 Kt		9,27	13,09	20,32	26,54
14 Kt		10,39	14,67	22,77	29,77
18 Kt		11,61	16,40	25,45	33,26
21 Kt		12,54	17,71	27,49	35,92
22 Kt		12,64	17,85	27,70	36,19
AG 925		7,23	11,97	14,25	20,72



Weights shown in grams/meter are purely indicative and may vary.



TULIP
CHAINS

TULIP CHAIN


Cod	TUB20	TUB30	TUB40
Size	2,0x1,3	3,0x2,0	4,0x2,5
14 Kt	7,20	18,35	23,91
18 Kt	8,04	20,50	26,71
AG 925	5,01	12,77	16,64



FLAT TULIP CHAIN

Cod	TUL20	TUL30	TUL40
Size	2,0x1,2	3,0x1,8	4,0x2,4
14 Kt	9,54	17,24	22,83
18 Kt	10,66	19,26	25,51
AG 925	6,64	12,00	15,89





CUBE
CHAINS

CUBE CHAIN


Cod	CUB14	CUB16	CUB20
Size	ø 1,4	ø 1,6	ø 2,0
14 Kt	10,60	11,40	14,40
18 Kt	11,84	12,74	16,11
AG 925	6,14	9,10	11,03



D/CUT
CUBE CHAIN

Cod	CUB14D	CUB16D	CUB20D
Size	ø 1,4	ø 1,6	ø 2,0
14 Kt	9,01	10,59	12,21
18 Kt	10,07	11,84	13,65
AG 925	5,84	8,11	8,53





SNAKE
CHAINS

SNAKE CHAIN

Cod	CCT08P	CCT10	CCT10P	CCT12	CCT14
Size	ø 0,8	ø 1,0	ø 1,0	ø 1,2	ø 1,4
9 Kt	3,62	3,92	6,02	6,29	8,24
10 Kt	3,91	4,23	6,50	6,79	9,35
14 Kt	4,38	4,74	7,28	7,61	10,49
18 Kt	4,90	5,30	8,14	8,51	11,72
21 Kt	5,29	5,72	8,79	9,19	12,66
22 Kt	5,33	5,77	8,86	9,26	12,75
AG 925			5,07	5,30	7,30

Cod	CCT16	CCT19	CCT24	CCT30
Size	ø 1,6	ø 1,9	ø 2,4	ø 3,0
9 Kt	10,57	15,14	23,85	34,23
10 Kt	11,41	16,35	25,75	36,95
14 Kt	12,80	18,32	28,86	41,41
18 Kt	14,30	20,48	32,26	46,29
21 Kt	15,44	22,12	34,84	49,99
22 Kt	15,56	22,29	35,11	50,39
AG 925	9,87	14,03	22,11	31,71



D/CUT
 SNAKE CHAIN

Cod	CCT08PD	CCT10D	CCT10PD	CCT12D	CCT14D
Size	ø 0,8	ø 1,0	ø 1,0	ø 1,2	ø 1,4
9 Kt	3,36	3,55	4,68	5,02	7,92
10 Kt	3,63	3,83	5,05	5,42	8,55
14 Kt	4,07	4,29	5,66	6,08	9,58
18 Kt	4,55	4,80	6,32	6,79	10,71
21 Kt	4,91	5,18	6,83	7,33	11,57
22 Kt	4,95	5,22	6,88	7,39	11,66
AG 925			3,94	4,23	6,67

Cod	CCT16D	CCT19D	CCT24D	CCT30D
Size	ø 1,6	ø 1,9	ø 2,4	ø 3,0
9 Kt	9,57	13,97	17,00	28,05
10 Kt	10,34	15,09	18,35	30,29
14 Kt	11,59	16,91	20,59	33,97
18 Kt	12,95	18,91	23,00	37,96
21 Kt	13,99	20,41	24,84	41,00
22 Kt	14,10	20,57	25,02	41,30
AG 925	8,87	12,94	17,75	27,90



Weights shown in grams/meter are purely indicative and may vary.

ROSARY SNAKE
CHAIN


Cod		CRT2015	CRT2515
Size	Chain Bead Distance	1,0 ø 2,0 15	1,2 ø 2,5 15
9 Kt		8,90	12,11
10 Kt		9,61	13,07
14 Kt		10,77	14,65
18 Kt		12,04	16,37
21 Kt		13,00	17,68
22 Kt		13,10	17,82
AG 925		7,50	10,20



D/CUT
ROSARY SNAKE
CHAIN 1+1

Cod		CRTD2015	CRTD2515
Size	Chain Bead Distance	1,0 ø 2,0 15	1,2 ø 2,5 15
9 Kt		5,58	9,55
10 Kt		6,02	10,32
14 Kt		6,75	11,56
18 Kt		7,55	12,92
21 Kt		8,15	13,96
22 Kt		8,21	14,07
AG 925		4,70	8,05





COBRA
CHAINS

COBRA CHAIN


Cod	CSO26	CSO30	CSO33	CSO42
Size	2,6x1,25	3,02x1,38	3,3x1,5	4,2x1,7
14 Kt	15,52	21,35	24,88	36,50
18 Kt	17,47	24,34	27,80	40,80
22 Kt	24,85	30,63	37,15	38,50
AG 925	10,88	15,14	17,32	22,60



D/CUT
COBRA CHAIN

Cod	CSO26D	CSO30D	CSO33D	CSO42D
Size	2,5x1,2	3,01x1,35	3,3x1,5	4,2x1,6
14 Kt	12,60	15,50	20,20	26,50
18 Kt	14,20	17,60	22,60	29,50
22 Kt	20,20	24,90	30,20	31,30
AG 925	8,85	12,31	14,08	18,38





FINISHED COBRA
CHAINS


FINISHED
COBRA CHAINS

-

Cod		CSO26D FIN	CSO30D FIN	CSO33D FIN	CSO42D FIN
Size	Bead Length	ø 2,6 45 cm	ø 3,0 45 cm	ø 3,3 45 cm	ø 4,2 45 cm
14 Kt		5,67	6,98	9,09	11,93
18 Kt		6,39	7,92	10,17	13,28
22 Kt		9,09	11,21	13,59	14,09



Weights shown in grams/meter are purely indicative and may vary.



SQUAMA CHAINS

D/CUT
SQUARE
SQUAMA CHAIN

Cod	CSQ14D	CSQ18D	CSQ30D
Size	ø 1,4	ø 1,8	ø 3,0
14 Kt	5,40	7,72	18,24
18 Kt	6,04	8,63	20,39
AG 925	4,14	5,91	12,70



D/CUT
ROUND
SQUAMA CHAIN


Cod	CST10D	CST12D	CST14D	CST16D
Size	ø 1,0	ø 1,2	ø 1,4	ø 1,6
14 Kt	2,79	3,09	5,85	7,76
18 Kt	3,12	3,45	6,53	8,66
AG 925	2,14	2,15	4,07	5,41



D/CUT
TWISTED
SQUAMA CHAIN

Cod	CSQR14D	CSQR18D	CSQR30D
Size	ø 1,4	ø 1,8	ø 3,0
14 Kt	5,94	9,34	20,25
18 Kt	6,64	10,43	22,63
AG 925	4,55	6,50	14,10





PENDANT
CHAINS

D/CUT
BOX CHAIN

Cod	CVE08D	CVE10D	CVE12D	CVE15D	CVE19D
Size	ø 0,5	ø 0,6	ø 0,7	ø 0,8	ø 1,0
14 Kt	1,70	2,10	3,20	5,06	7,35
18 Kt	2,00	2,50	3,80	5,65	8,22
AG 925			2,37	3,52	5,12



D/CUT
FORZATINA CHAIN


Cod	CFZ020D	CFZ025D	CFZ030D	CFZ035D
Size	ø 0,7	ø 0,8	ø 0,9	ø 1,1
14 Kt	1,26	1,85	2,53	3,39
18 Kt	1,41	2,07	2,83	3,79
AG 925			2,15	2,74



D/CUT
CALZA CHAIN

Cod	CCAL18D
Size	ø 1,8
14 Kt	7,10
18 Kt	7,94
AG 925	





CRYSTAL
CHAINS

CRYSTAL CHAIN
MONOCOLOR

Patented items

Cod	SZ18C	SZ30C
Size	ø 1,8	ø 3,0
9 Kt	11,83	28,87
10 Kt	12,78	31,17
14 Kt	14,32	34,93
18 Kt	16,00	39,04
21 Kt	17,29	42,16
22 Kt	17,42	42,50
AG 925	9,97	24,32
BZ	8,46	20,63

Colors	Cod	
White	WH	
Black	BK	
Red	RD	
Green	GR	
Blue	BL	
Acquamarine	AQ	
Pink	PN	
Purple	PR	
Brown	BR	

Weights shown in grams/meter are purely indicative and may vary.

CRYSTAL CHAIN
MULTICOLOR

Patented items

Cod	SZ18M	SZ30M
Size	ø 1,8	ø 3,0
9 Kt	11,83	28,87
10 Kt	12,78	31,17
14 Kt	14,32	34,93
18 Kt	16,00	39,04
21 Kt	17,29	42,16
22 Kt	17,42	42,50
AG 925	9,97	24,32
BZ	8,46	20,63

Multicolors Example

2 White 2 Pink	WH2 PN2	
2 White 1 Acquamarine	WH2 AQ1	
2 White 3 Green	WH2 GR3	
1 White 1 Black	WH1 BK1	
1 White 1 Red	WH1 RD1	
5 White 1 Blue	WH5 BL1	
2 Black 2 White	BK2 WH2	

INFO

TERMS

Deposit required with order.

Full payment required prior to shipment.

FAOR reserves the right to remove items from production at any time.

PRICING

Prices are subject to changes without notice.

Invoices are calculated at metal market rate on date of shipment.

Gold fixing AM London Fix + surcharge.

Silver fixing London Fix + surcharge.

CA - CUSTOMISED ARTICLES

Deposit will be required.

CA items cannot be cancelled or returned once production has started.

Customer trade marking is available on many items.

One time trade mark stamp fee of € 250,00 will be required.

RETURNS

No claims allowed after 5 days from date of receipt of invoice.

No returns accepted without FAOR return authorization.

No returns will be accepted after 30 days of invoice date.

No returns will be accepted on Special Orders, or Customer Trademarked Items.

WEIGHTS

The weights of many articles in this catalog have been calculated with a conversion indicator and are therefore purely indicative and non-binding.

For exact weights of specific items, please feel free to request confirmation directly to FAOR staff.

GUARANTEE

We hereby certify that all FAOR articles are nickel, lead and cadmium safe in compliance with current EU and US Regulations. Any disputes will be handled by the Court of Arezzo.

MINIMUM ORDERS

Gold 250 grams per article - total 1 kg

Silver 1 kg per article - total 5 kgs

Labour € 500,00

Sample order cost € 80

Merchandise not in Stock Gold 1 kg per article

Merchandise not in Stock Silver 3 kg per article

TERMINI

Acconto richiesto al momento dell'ordine.

Saldo del pagamento richiesto prima della spedizione.

FAOR si riserva il diritto di ritirare gli articoli dalla produzione in qualunque momento.

PREZZI

Le fatture sono calcolate con il prezzo del metallo della data di spedizione

Quotazione oro 1° fixing di Londra + commissioni

Quotazione argento Fixing di Londra + commissioni

AP - ARTICOLI PERSONALIZZATI

Sarà richiesto un acconto.

Gli AP non potranno essere cancellati o resi una volta che la produzione sarà iniziata. Il marchio commerciale del cliente può essere disposto su molti articoli.

Il costo per la produzione di un punzone commerciale è di 250,00€.

RESI

Non sono permessi reclami dopo 5 giorni dalla data di ricevimento della fattura.

Non sono accettati resi senza autorizzazione da parte di FAOR.

Non saranno accettati resi dopo 30 giorni dalla data della fattura.

Non saranno accettati resi su ordini speciali, o articoli con il marchio del cliente.

PESI

I pesi degli articoli contenuti nel presente catalogo sono indicativi e non impegnativi poiché derivati da un calcolo di conversione.

Ogni qualvolta si necessita di un peso effettivo si consiglia di chiedere conferma direttamente al personale FAOR.

GARANZIA

Si certifica che riguardo presenza di Nickel, Piombo e Cadmio tutti gli articoli prodotti da FAOR sono conformi alle regolamentazioni EU e US vigenti.

Eventuali controversie saranno trattate dal tribunale di Arezzo.

ORDINI MINIMI

Oro	250 grammi per articolo-totale 1 kg
Argento	1kg per articolo-totale 5 kg
Manifattura	€ 500,00
Costo Campionatura	€ 80
Merce non a stock	Oro 1 kg per articolo
Merce non a stock	Argento 5 kg per articolo

F.A.OR. S.p.A.

Via del Gavardello 68 - 52100 Arezzo - Italy
Tel. +39 0575 381238 - Fax +39 0575 983586
www.faorspa.com - info@faor.it



